

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6889 -- English (ENU)

Datasets:

Site: [18] ARBOLEDA DR BT CAMPBELL AVE AND PARMA WAY
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0600	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	13.8	100.0	21.7	--
0700	3	0	0	1	0	2	0	0	0	0	0	0	0	0	0	0	0	10.4	66.67	19.1	--
0800	4	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	11.2	100.0	18.5	--
0900	5	0	0	0	1	3	1	0	0	0	0	0	0	0	0	0	0	13.3	80.00	22.2	--
1000	10	0	0	3	3	2	2	0	0	0	0	0	0	0	0	0	0	12.1	80.00	19.1	--
1100	4	0	0	3	0	0	1	0	0	0	0	0	0	0	0	0	0	3.7	75.00	15.7	--
1200	5	0	0	2	1	2	0	0	0	0	0	0	0	0	0	0	0	11.2	100.0	17.4	--
1300	7	0	0	1	3	2	0	1	0	0	0	0	0	0	0	0	0	14.2	85.71	20.6	--
1400	7	0	1	0	5	1	0	0	0	0	0	0	0	0	0	0	0	10.4	85.71	16.3	--
1500	8	0	1	1	4	1	1	0	0	0	0	0	0	0	0	0	0	9.8	62.50	17.1	--
1600	5	0	1	1	3	0	0	0	0	0	0	0	0	0	0	0	0	8.1	80.00	15.0	--
1700	11	0	0	1	4	5	1	0	0	0	0	0	0	0	0	0	0	13.8	81.82	20.5	25.3
1800	3	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	12.0	100.0	17.6	--
1900	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
2000	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	10.7	100.0	19.1	--
2100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
07-19	72	0	3	14	28	20	6	1	0	0	0	0	0	0	0	0	0	12.0	72.22	18.5	23.6
06-22	76	0	3	14	30	22	6	1	0	0	0	0	0	0	0	0	0	12.0	72.37	18.6	23.6
06-00	76	0	3	14	30	22	6	1	0	0	0	0	0	0	0	0	0	12.0	72.37	18.6	23.6
00-00	76	0	3	14	30	22	6	1	0	0	0	0	0	0	0	0	0	12.0	72.37	18.6	23.6

Peak step 17:00 (11) AM Peak step 10:00 (10) PM Peak step 17:00 (11)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	76	0	3	14	30	22	6	1	0	0	0	0	0	0	0	0	0	12.0	72.37	18.6	23.6

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6888 -- English (ENU)

Datasets:

Site: [18] ARBOLEDA DR BT CAMPBELL AVE AND PARMA WAY
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0600	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	13.1	100.0	22.0	--
0700	5	0	0	1	2	2	0	0	0	0	0	0	0	0	0	0	0	12.0	100.0	18.6	--
0800	3	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	11.5	100.0	19.2	--
0900	3	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	8.6	66.67	18.2	--
1000	6	0	0	1	2	3	0	0	0	0	0	0	0	0	0	0	0	11.6	83.33	19.9	--
1100	10	0	0	0	6	3	1	0	0	0	0	0	0	0	0	0	0	14.2	90.00	19.3	--
1200	4	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0	13.5	100.0	18.8	--
1300	10	0	1	4	2	2	1	0	0	0	0	0	0	0	0	0	0	6.8	70.00	15.9	--
1400	10	0	0	1	4	4	1	0	0	0	0	0	0	0	0	0	0	13.6	90.00	19.3	--
1500	10	0	1	0	3	5	1	0	0	0	0	0	0	0	0	0	0	14.1	80.00	19.4	--
1600	6	0	1	2	0	3	0	0	0	0	0	0	0	0	0	0	0	12.3	66.67	15.9	--
1700	5	0	0	1	3	1	0	0	0	0	0	0	0	0	0	0	0	13.0	100.0	18.8	--
1800	5	0	1	1	1	2	0	0	0	0	0	0	0	0	0	0	0	12.2	80.00	15.8	--
1900	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
2000	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	11.9	100.0	21.7	--
2100	2	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	3.5	50.00	20.3	--
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
07-19	77	0	4	13	28	28	4	0	0	0	0	0	0	0	0	0	0	13.6	76.62	18.3	23.0
06-22	82	0	4	14	28	31	5	0	0	0	0	0	0	0	0	0	0	13.6	75.61	18.5	23.2
06-00	82	0	4	14	28	31	5	0	0	0	0	0	0	0	0	0	0	13.6	75.61	18.5	23.2
00-00	82	0	4	14	28	31	5	0	0	0	0	0	0	0	0	0	0	13.6	75.61	18.5	23.2

Peak step 11:00 (10) AM Peak step 11:00 (10) PM Peak step 13:00 (10)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	82	0	4	14	28	31	5	0	0	0	0	0	0	0	0	0	0	13.6	75.61	18.5	23.2

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6891 -- English (ENU)

Datasets:

Site: [19] ARBOLEDA DR BT SPRINGER RD AND PARMA WAY
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0600	3	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	11.2	100.0	16.9	--
0700	4	0	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	15.7	100.0	22.3	--
0800	7	0	0	0	2	4	1	0	0	0	0	0	0	0	0	0	0	14.7	85.71	21.8	--
0900	14	0	1	1	4	7	1	0	0	0	0	0	0	0	0	0	0	14.8	78.57	19.3	24.2
1000	12	0	0	2	8	2	0	0	0	0	0	0	0	0	0	0	0	10.8	91.67	17.8	20.8
1100	10	0	0	2	2	3	3	0	0	0	0	0	0	0	0	0	0	18.6	60.00	20.8	--
1200	11	0	0	0	3	6	2	0	0	0	0	0	0	0	0	0	0	17.9	90.91	21.8	26.2
1300	11	0	0	2	2	6	1	0	0	0	0	0	0	0	0	0	0	15.3	81.82	19.8	24.1
1400	11	0	1	1	3	6	0	0	0	0	0	0	0	0	0	0	0	13.0	90.91	18.2	22.6
1500	12	0	0	1	6	3	2	0	0	0	0	0	0	0	0	0	0	16.3	83.33	20.1	25.7
1600	8	0	0	1	2	4	1	0	0	0	0	0	0	0	0	0	0	16.2	87.50	20.0	--
1700	10	0	0	1	2	4	3	0	0	0	0	0	0	0	0	0	0	17.0	90.00	21.9	--
1800	10	0	0	1	3	4	2	0	0	0	0	0	0	0	0	0	0	16.1	90.00	21.0	--
1900	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	7.2	100.0	17.0	--
2000	3	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	8.1	100.0	15.7	--
2100	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	18.7	100.0	24.2	--
2200	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	14.1	100.0	23.9	--
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
07-19	120	0	2	12	38	51	17	0	0	0	0	0	0	0	0	0	0	16.3	78.33	20.2	24.8
06-22	129	0	2	14	43	52	18	0	0	0	0	0	0	0	0	0	0	16.3	76.74	20.0	24.8
06-00	130	0	2	14	43	53	18	0	0	0	0	0	0	0	0	0	0	16.3	76.92	20.1	24.8
00-00	130	0	2	14	43	53	18	0	0	0	0	0	0	0	0	0	0	16.3	76.92	20.1	24.8

Peak step 9:00 (14) AM Peak step 9:00 (14) PM Peak step 15:00 (12)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	130	0	2	14	43	53	18	0	0	0	0	0	0	0	0	0	0	16.3	76.92	20.1	24.8

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6890 -- English (ENU)

Datasets:

Site: [19] ARBOLEDA DR BT SPRINGER RD AND PARMA WAY
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0600	3	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	13.1	100.0	18.7	--
0700	4	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	12.0	100.0	18.9	--
0800	10	0	0	1	5	2	1	1	0	0	0	0	0	0	0	0	0	13.0	70.00	19.7	--
0900	6	0	0	0	3	2	1	0	0	0	0	0	0	0	0	0	0	16.6	100.0	20.7	--
1000	12	0	0	2	7	2	1	0	0	0	0	0	0	0	0	0	0	12.4	91.67	18.4	22.5
1100	12	0	1	3	3	3	2	0	0	0	0	0	0	0	0	0	0	7.4	58.33	18.4	28.1
1200	9	0	0	0	3	5	1	0	0	0	0	0	0	0	0	0	0	15.4	100.0	21.7	--
1300	13	0	1	1	5	3	2	1	0	0	0	0	0	0	0	0	0	12.5	69.23	20.2	29.3
1400	13	0	1	4	2	5	1	0	0	0	0	0	0	0	0	0	0	13.1	69.23	18.0	24.1
1500	11	0	0	4	3	2	2	0	0	0	0	0	0	0	0	0	0	8.6	63.64	19.0	25.8
1600	10	0	2	1	5	2	0	0	0	0	0	0	0	0	0	0	0	10.4	70.00	15.5	--
1700	6	0	0	0	1	4	1	0	0	0	0	0	0	0	0	0	0	13.5	83.33	22.1	--
1800	9	0	1	1	2	4	1	0	0	0	0	0	0	0	0	0	0	11.6	77.78	19.1	--
1900	4	0	0	0	3	0	1	0	0	0	0	0	0	0	0	0	0	10.1	75.00	20.6	--
2000	3	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	10.1	100.0	17.9	--
2100	6	0	0	0	4	0	0	2	0	0	0	0	0	0	0	0	0	8.3	66.67	21.8	--
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
07-19	115	0	6	17	42	35	13	2	0	0	0	0	0	0	0	0	0	14.5	69.57	19.1	24.4
06-22	131	0	6	19	52	36	14	4	0	0	0	0	0	0	0	0	0	14.5	70.23	19.2	24.4
06-00	131	0	6	19	52	36	14	4	0	0	0	0	0	0	0	0	0	14.5	70.23	19.2	24.4
00-00	131	0	6	19	52	36	14	4	0	0	0	0	0	0	0	0	0	14.5	70.23	19.2	24.4

Peak step 13:00 (13) AM Peak step 10:00 (12) PM Peak step 13:00 (13)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	131	0	6	19	52	36	14	4	0	0	0	0	0	0	0	0	0	14.5	70.23	19.2	24.4

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6884 -- English (ENU)

Datasets:

Site: [16] ARBOLEDA DR S OF COSTA DR
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: North (bound), P = North, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	8.9	100.0	18.8	-
0700	4	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	7.3	100.0	15.9	-
0800	10	0	0	4	6	0	0	0	0	0	0	0	0	0	0	0	0	8.9	100.0	15.3	-
0900	4	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	5.0	100.0	12.8	-
1000	6	0	0	2	4	0	0	0	0	0	0	0	0	0	0	0	0	8.9	100.0	15.2	-
1100	12	0	2	3	6	1	0	0	0	0	0	0	0	0	0	0	0	8.5	83.33	14.9	19.6
1200	6	0	1	2	1	2	0	0	0	0	0	0	0	0	0	0	0	12.1	83.33	15.5	-
1300	9	0	0	4	4	1	0	0	0	0	0	0	0	0	0	0	0	10.2	100.0	15.6	-
1400	4	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	6.8	100.0	14.3	-
1500	9	0	0	4	4	1	0	0	0	0	0	0	0	0	0	0	0	11.7	100.0	16.3	-
1600	9	0	0	3	5	1	0	0	0	0	0	0	0	0	0	0	0	10.4	100.0	15.8	-
1700	7	0	2	1	4	0	0	0	0	0	0	0	0	0	0	0	0	8.7	100.0	14.5	-
1800	7	0	2	3	1	1	0	0	0	0	0	0	0	0	0	0	0	4.9	71.43	13.0	-
1900	6	1	0	0	3	2	0	0	0	0	0	0	0	0	0	0	0	11.1	83.33	15.9	-
2000	3	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	14.0	100.0	20.9	-
2100	3	0	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	10.0	66.67	16.4	-
2200	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2.9	100.0	10.7	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	87	0	7	33	40	7	0	0	0	0	0	0	0	0	0	0	0	9.8	83.91	15.0	18.7
06-22	100	1	8	33	48	10	0	0	0	0	0	0	0	0	0	0	0	10.0	81.00	15.4	19.5
06-00	102	1	9	34	48	10	0	0	0	0	0	0	0	0	0	0	0	10.0	80.39	15.3	19.4
00-00	102	1	9	34	48	10	0	0	0	0	0	0	0	0	0	0	0	10.0	80.39	15.3	19.4

Peak step 11:00 (12) AM Peak step 11:00 (12) PM Peak step 13:00 (9)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	102	1	9	34	48	10	0	0	0	0	0	0	0	0	0	0	0	10.0	80.39	15.3	19.4

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6885 -- English (ENU)

Datasets:

Site: [16] ARBOLEDA DR S OF COSTA DR
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: South (bound), P = North, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1.3	100.0	11.2	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	11.2	100.0	21.0	-
0700	8	0	0	0	5	3	0	0	0	0	0	0	0	0	0	0	0	11.1	100.0	18.9	-
0800	13	0	0	1	6	6	0	0	0	0	0	0	0	0	0	0	0	14.3	100.0	19.9	22.7
0900	9	0	1	1	6	1	0	0	0	0	0	0	0	0	0	0	0	11.2	88.89	16.8	-
1000	11	0	1	3	6	1	0	0	0	0	0	0	0	0	0	0	0	9.5	90.91	16.9	20.3
1100	5	0	0	1	2	2	0	0	0	0	0	0	0	0	0	0	0	12.2	80.00	18.4	-
1200	8	0	0	0	5	3	0	0	0	0	0	0	0	0	0	0	0	11.5	100.0	19.0	-
1300	7	0	0	1	3	3	0	0	0	0	0	0	0	0	0	0	0	13.0	85.71	19.0	-
1400	7	0	0	0	4	2	1	0	0	0	0	0	0	0	0	0	0	15.2	100.0	20.0	-
1500	12	0	1	2	4	5	0	0	0	0	0	0	0	0	0	0	0	13.9	83.33	18.3	22.3
1600	15	0	1	5	8	1	0	0	0	0	0	0	0	0	0	0	0	10.4	93.33	15.7	19.3
1700	13	0	0	3	4	4	2	0	0	0	0	0	0	0	0	0	0	11.1	76.92	19.3	25.6
1800	11	0	1	0	3	7	0	0	0	0	0	0	0	0	0	0	0	13.3	90.91	19.2	22.6
1900	6	1	0	0	3	1	1	0	0	0	0	0	0	0	0	0	0	15.2	83.33	17.3	-
2000	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	14.7	100.0	20.5	-
2100	4	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	10.8	100.0	19.5	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	119	0	5	17	56	38	3	0	0	0	0	0	0	0	0	0	0	13.1	82.35	18.3	21.6
06-22	132	1	5	17	63	42	4	0	0	0	0	0	0	0	0	0	0	13.1	81.82	18.4	21.6
06-00	132	1	5	17	63	42	4	0	0	0	0	0	0	0	0	0	0	13.1	81.82	18.4	21.6
00-00	133	1	5	18	63	42	4	0	0	0	0	0	0	0	0	0	0	13.1	81.20	18.3	21.6

Peak step 16:00 (15) AM Peak step 8:00 (13) PM Peak step 16:00 (15)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	133	1	5	18	63	42	4	0	0	0	0	0	0	0	0	0	0	13.1	81.20	18.3	21.6

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6887 -- English (ENU)

Datasets:

Site: [17] ARBOLEDA DR W OF CAMPBELL AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	14.8	100.0	24.6	-
0700	4	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	11.9	100.0	18.0	-
0800	12	0	1	3	4	3	1	0	0	0	0	0	0	0	0	0	0	8.9	66.67	17.4	24.1
0900	5	1	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0	10.8	80.00	14.9	-
1000	8	0	2	2	2	2	0	0	0	0	0	0	0	0	0	0	0	12.6	75.00	15.5	-
1100	7	0	1	2	1	2	1	0	0	0	0	0	0	0	0	0	0	5.8	57.14	16.8	-
1200	9	0	1	2	3	3	0	0	0	0	0	0	0	0	0	0	0	11.3	77.78	16.7	-
1300	7	0	0	1	4	0	1	1	0	0	0	0	0	0	0	0	0	9.4	71.43	20.0	-
1400	11	0	0	1	2	7	1	0	0	0	0	0	0	0	0	0	0	18.3	90.91	21.1	24.7
1500	11	0	1	0	4	6	0	0	0	0	0	0	0	0	0	0	0	15.0	90.91	19.1	23.7
1600	15	0	2	4	7	2	0	0	0	0	0	0	0	0	0	0	0	9.3	80.00	15.4	21.3
1700	8	0	0	1	2	3	2	0	0	0	0	0	0	0	0	0	0	16.0	75.00	20.8	-
1800	9	0	1	1	4	3	0	0	0	0	0	0	0	0	0	0	0	11.1	77.78	17.4	-
1900	5	0	0	0	2	1	2	0	0	0	0	0	0	0	0	0	0	15.7	80.00	21.4	-
2000	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	12.2	100.0	21.1	-
2100	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	11.7	100.0	21.6	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	106	1	9	18	38	33	6	1	0	0	0	0	0	0	0	0	0	14.0	69.81	17.8	23.2
06-22	115	1	9	18	40	38	8	1	0	0	0	0	0	0	0	0	0	14.0	69.57	18.1	23.4
06-00	115	1	9	18	40	38	8	1	0	0	0	0	0	0	0	0	0	14.0	69.57	18.1	23.4
00-00	115	1	9	18	40	38	8	1	0	0	0	0	0	0	0	0	0	14.0	69.57	18.1	23.4

Peak step 16:00 (15) AM Peak step 8:00 (12) PM Peak step 16:00 (15)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	115	1	9	18	40	38	8	1	0	0	0	0	0	0	0	0	0	14.0	69.57	18.1	23.4

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6886 -- English (ENU)

Datasets:

Site: [17] ARBOLEDA DR W OF CAMPBELL AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1.0	100.0	10.9	-
0700	6	0	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	4.0	100.0	11.0	-
0800	4	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0	0	11.0	100.0	16.0	-
0900	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	5.7	100.0	15.5	-
1000	6	0	1	3	1	1	0	0	0	0	0	0	0	0	0	0	0	8.4	83.33	14.6	-
1100	12	0	2	4	3	3	0	0	0	0	0	0	0	0	0	0	0	7.8	75.00	15.4	21.0
1200	5	0	0	0	4	1	0	0	0	0	0	0	0	0	0	0	0	14.7	100.0	18.6	-
1300	10	0	2	3	3	1	1	0	0	0	0	0	0	0	0	0	0	8.5	80.00	15.8	-
1400	6	0	1	1	4	0	0	0	0	0	0	0	0	0	0	0	0	9.5	100.0	15.2	-
1500	10	0	0	5	3	2	0	0	0	0	0	0	0	0	0	0	0	6.5	80.00	15.5	-
1600	5	0	0	3	1	0	1	0	0	0	0	0	0	0	0	0	0	7.2	80.00	16.5	-
1700	5	0	2	0	1	2	0	0	0	0	0	0	0	0	0	0	0	6.2	60.00	15.1	-
1800	4	0	0	1	1	2	0	0	0	0	0	0	0	0	0	0	0	12.4	100.0	18.9	-
1900	5	0	0	0	1	3	1	0	0	0	0	0	0	0	0	0	0	15.7	100.0	22.4	-
2000	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	16.4	100.0	24.7	-
2100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2200	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	4.9	100.0	11.5	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	75	0	11	25	24	13	2	0	0	0	0	0	0	0	0	0	0	8.5	76.00	15.5	20.8
06-22	83	0	11	26	25	17	4	0	0	0	0	0	0	0	0	0	0	8.5	69.88	16.1	21.7
06-00	85	0	12	27	25	17	4	0	0	0	0	0	0	0	0	0	0	8.5	69.41	16.0	21.6
00-00	85	0	12	27	25	17	4	0	0	0	0	0	0	0	0	0	0	8.5	69.41	16.0	21.6

Peak step 11:00 (12) AM Peak step 11:00 (12) PM Peak step 13:00 (10)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	85	0	12	27	25	17	4	0	0	0	0	0	0	0	0	0	0	8.5	69.41	16.0	21.6

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6869 -- English (ENU)

Datasets:

Site: [8] **BENVENUE AVE BT AMADOR AVE AND S CLARK AVE**
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	11.5	100.0	21.4	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	20.2	100.0	30.1	-
0700	7	0	0	1	1	2	3	0	0	0	0	0	0	0	0	0	0	17.8	71.43	22.3	-
0800	7	0	0	0	1	3	2	1	0	0	0	0	0	0	0	0	0	16.8	71.43	24.7	-
0900	9	0	1	0	0	3	5	0	0	0	0	0	0	0	0	0	0	18.7	88.89	23.3	-
1000	5	0	0	0	1	1	2	1	0	0	0	0	0	0	0	0	0	20.0	60.00	24.8	-
1100	8	0	0	1	1	3	1	2	0	0	0	0	0	0	0	0	0	13.5	62.50	22.7	-
1200	11	0	0	0	1	6	3	0	1	0	0	0	0	0	0	0	0	19.9	81.82	25.3	30.9
1300	4	0	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0	14.7	100.0	22.4	-
1400	6	0	0	1	0	2	2	1	0	0	0	0	0	0	0	0	0	16.0	66.67	23.8	-
1500	5	0	0	0	1	2	1	1	0	0	0	0	0	0	0	0	0	17.6	80.00	24.4	-
1600	10	0	1	0	3	3	2	1	0	0	0	0	0	0	0	0	0	15.3	70.00	21.1	-
1700	9	0	0	1	1	2	5	0	0	0	0	0	0	0	0	0	0	19.2	88.89	23.4	-
1800	4	0	0	1	1	2	0	0	0	0	0	0	0	0	0	0	0	11.1	100.0	18.4	-
1900	5	0	0	1	2	1	0	1	0	0	0	0	0	0	0	0	0	10.6	80.00	20.5	-
2000	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	10.6	100.0	20.0	-
2100	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	11.5	100.0	21.4	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	85	0	2	5	12	32	26	7	1	0	0	0	0	0	0	0	0	17.7	68.24	23.2	28.6
06-22	94	0	2	6	15	35	26	9	1	0	0	0	0	0	0	0	0	17.7	67.02	23.0	28.9
06-00	94	0	2	6	15	35	26	9	1	0	0	0	0	0	0	0	0	17.7	67.02	23.0	28.9
00-00	95	0	2	6	15	36	26	9	1	0	0	0	0	0	0	0	0	17.7	67.37	23.0	28.9

Peak step 12:00 (11) AM Peak step 9:00 (9) PM Peak step 12:00 (11)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	95	0	2	6	15	36	26	9	1	0	0	0	0	0	0	0	0	17.7	67.37	23.0	28.9

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6868 -- English (ENU)

Datasets:

Site: [8] BENVENUE AVE BT AMADOR AVE AND S CLARK AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0500	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	6.0	100.0	15.9	--
0600	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2.8	100.0	12.6	--
0700	3	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	15.8	100.0	25.3	--
0800	3	0	0	0	2	0	0	1	0	0	0	0	0	0	0	0	0	8.9	66.67	23.3	--
0900	6	0	0	0	1	3	1	1	0	0	0	0	0	0	0	0	0	20.8	83.33	23.6	--
1000	7	0	1	0	2	3	1	0	0	0	0	0	0	0	0	0	0	14.8	71.43	20.0	--
1100	9	0	0	3	1	2	1	2	0	0	0	0	0	0	0	0	0	23.4	55.56	21.8	--
1200	9	0	0	0	2	5	1	1	0	0	0	0	0	0	0	0	0	15.5	88.89	23.2	--
1300	7	0	1	0	3	2	1	0	0	0	0	0	0	0	0	0	0	16.4	85.71	18.9	--
1400	9	0	1	0	2	3	3	0	0	0	0	0	0	0	0	0	0	18.8	77.78	21.7	--
1500	11	0	0	0	4	4	3	0	0	0	0	0	0	0	0	0	0	16.3	81.82	21.8	27.2
1600	7	0	0	0	2	5	0	0	0	0	0	0	0	0	0	0	0	14.1	100.0	20.7	--
1700	11	0	0	0	2	0	5	4	0	0	0	0	0	0	0	0	0	24.5	81.82	27.1	33.8
1800	6	0	0	0	1	3	2	0	0	0	0	0	0	0	0	0	0	16.2	83.33	23.3	--
1900	3	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	16.1	100.0	24.5	--
2000	4	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	13.9	100.0	21.9	--
2100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
2200	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	6.9	100.0	16.8	--
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
07-19	88	0	3	3	22	31	20	9	0	0	0	0	0	0	0	0	0	16.3	64.77	22.5	28.6
06-22	96	0	3	4	22	37	21	9	0	0	0	0	0	0	0	0	0	16.3	66.67	22.5	28.2
06-00	97	0	3	4	23	37	21	9	0	0	0	0	0	0	0	0	0	16.3	67.01	22.4	28.1
00-00	98	0	3	4	24	37	21	9	0	0	0	0	0	0	0	0	0	16.3	66.33	22.3	28.0

Peak step 15:00 (11) AM Peak step 11:00 (9) PM Peak step 15:00 (11)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	98	0	3	4	24	37	21	9	0	0	0	0	0	0	0	0	0	16.3	66.33	22.3	28.0

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6867 -- English (ENU)

Datasets:

Site: [7] **BENVENUE AVE E OF LERIDA AVE**
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	7.6	100.0	17.5	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	20.8	100.0	30.6	-
0700	8	0	0	1	1	4	2	0	0	0	0	0	0	0	0	0	0	17.3	87.50	22.3	-
0800	6	0	0	0	1	3	2	0	0	0	0	0	0	0	0	0	0	15.5	100.0	22.5	-
0900	7	0	0	1	0	4	2	0	0	0	0	0	0	0	0	0	0	16.7	85.71	22.1	-
1000	10	0	0	0	1	7	2	0	0	0	0	0	0	0	0	0	0	19.1	100.0	23.9	-
1100	7	0	0	2	1	2	1	1	0	0	0	0	0	0	0	0	0	11.7	71.43	19.9	-
1200	10	0	0	0	2	4	4	0	0	0	0	0	0	0	0	0	0	19.1	100.0	23.9	-
1300	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	12.6	100.0	20.7	-
1400	5	0	0	0	2	2	1	0	0	0	0	0	0	0	0	0	0	12.1	80.00	21.7	-
1500	5	0	0	0	1	2	2	0	0	0	0	0	0	0	0	0	0	16.4	100.0	22.7	-
1600	11	0	0	0	2	4	3	2	0	0	0	0	0	0	0	0	0	20.5	81.82	25.1	30.1
1700	11	0	0	1	2	6	2	0	0	0	0	0	0	0	0	0	0	16.6	90.91	21.9	25.9
1800	4	0	1	0	2	1	0	0	0	0	0	0	0	0	0	0	0	12.1	75.00	17.7	-
1900	7	0	0	1	5	0	1	0	0	0	0	0	0	0	0	0	0	9.8	85.71	19.3	-
2000	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	9.1	100.0	18.5	-
2100	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	6.6	100.0	16.5	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	3.4	100.0	13.2	-
07-19	86	0	1	5	16	40	21	3	0	0	0	0	0	0	0	0	0	17.8	79.07	22.5	26.5
06-22	97	0	1	6	24	40	22	4	0	0	0	0	0	0	0	0	0	17.8	76.29	22.2	26.7
06-00	98	0	1	7	24	40	22	4	0	0	0	0	0	0	0	0	0	17.8	75.51	22.1	26.6
00-00	99	0	1	7	25	40	22	4	0	0	0	0	0	0	0	0	0	16.7	74.75	22.1	26.5

Peak step 16:00 (11) AM Peak step 10:00 (10) PM Peak step 16:00 (11)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	99	0	1	7	25	40	22	4	0	0	0	0	0	0	0	0	0	16.7	74.75	22.1	26.5

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6866 -- English (ENU)

Datasets:

Site: [7] **BENVENUE AVE E OF LERIDA AVE**
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	8.3	100.0	18.1	-
0600	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	16.2	100.0	26.0	-
0700	3	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	20.1	100.0	25.2	-
0800	7	0	0	0	3	3	1	0	0	0	0	0	0	0	0	0	0	16.2	100.0	21.3	-
0900	7	0	0	0	1	3	2	1	0	0	0	0	0	0	0	0	0	21.1	85.71	23.8	-
1000	13	0	0	0	1	10	2	0	0	0	0	0	0	0	0	0	0	16.0	92.31	21.7	25.6
1100	9	0	0	2	4	1	1	1	0	0	0	0	0	0	0	0	0	9.8	66.67	20.1	-
1200	7	0	0	0	2	4	1	0	0	0	0	0	0	0	0	0	0	13.2	85.71	21.8	-
1300	6	0	1	1	0	2	2	0	0	0	0	0	0	0	0	0	0	16.0	66.67	18.9	-
1400	6	0	0	0	0	3	3	0	0	0	0	0	0	0	0	0	0	18.2	100.0	25.3	-
1500	11	0	0	2	4	2	3	0	0	0	0	0	0	0	0	0	0	17.8	72.73	20.3	27.7
1600	8	0	1	0	2	4	1	0	0	0	0	0	0	0	0	0	0	14.1	75.00	20.2	-
1700	10	0	0	0	1	3	4	2	0	0	0	0	0	0	0	0	0	18.6	70.00	25.4	-
1800	3	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	7.6	66.67	18.4	-
1900	6	0	0	1	2	1	1	0	1	0	0	0	0	0	0	0	0	7.5	50.00	21.9	-
2000	3	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	8.9	100.0	16.8	-
2100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2200	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	5.8	100.0	15.6	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	90	0	2	6	19	38	21	4	0	0	0	0	0	0	0	0	0	17.8	71.11	21.8	27.4
06-22	100	0	2	8	23	39	23	4	1	0	0	0	0	0	0	0	0	17.8	68.00	21.7	27.4
06-00	101	0	2	8	24	39	23	4	1	0	0	0	0	0	0	0	0	17.8	67.33	21.7	27.4
00-00	102	0	2	8	25	39	23	4	1	0	0	0	0	0	0	0	0	17.8	67.65	21.6	27.4

Peak step 10:00 (13) AM Peak step 10:00 (13) PM Peak step 15:00 (11)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	102	0	2	8	25	39	23	4	1	0	0	0	0	0	0	0	0	17.8	67.65	21.6	27.4

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6892 -- English (ENU)

Datasets:

Site: [20] CAMPBELL AVE BT GLEN ALTO DR AND ARBOLEDA DR
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: North (bound), P = North, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	15.7	100.0	25.5	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	12.0	100.0	20.7	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	3	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	17.4	66.67	22.3	-
0700	14	0	0	1	4	5	4	0	0	0	0	0	0	0	0	0	0	18.6	78.57	22.2	27.8
0800	35	0	0	1	5	18	9	2	0	0	0	0	0	0	0	0	0	16.6	82.86	23.4	27.2
0900	27	0	0	1	4	15	7	0	0	0	0	0	0	0	0	0	0	16.7	92.59	22.6	26.1
1000	34	0	0	1	6	15	12	0	0	0	0	0	0	0	0	0	0	17.7	91.18	22.8	26.8
1100	37	0	0	2	8	17	9	0	1	0	0	0	0	0	0	0	0	16.2	78.38	22.3	27.9
1200	53	0	0	3	7	31	12	0	0	0	0	0	0	0	0	0	0	17.0	90.57	22.3	25.9
1300	31	0	0	0	4	19	6	2	0	0	0	0	0	0	0	0	0	17.0	87.10	23.4	27.1
1400	33	0	0	0	4	16	13	0	0	0	0	0	0	0	0	0	0	17.6	87.88	23.8	27.4
1500	46	0	0	4	9	17	14	2	0	0	0	0	0	0	0	0	0	17.1	73.91	22.9	27.3
1600	27	0	1	0	4	15	7	0	0	0	0	0	0	0	0	0	0	19.1	92.59	22.9	26.3
1700	38	0	0	0	1	23	14	0	0	0	0	0	0	0	0	0	0	18.3	97.37	24.3	27.0
1800	23	0	0	0	0	14	7	2	0	0	0	0	0	0	0	0	0	18.9	91.30	25.2	28.4
1900	17	0	0	0	1	12	4	0	0	0	0	0	0	0	0	0	0	18.1	100.0	22.8	26.3
2000	6	0	0	0	1	2	2	1	0	0	0	0	0	0	0	0	0	15.8	83.33	25.0	-
2100	4	0	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0	13.3	100.0	21.6	-
2200	7	0	0	1	2	2	1	1	0	0	0	0	0	0	0	0	0	15.3	71.43	21.8	-
2300	4	0	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0	18.5	100.0	22.5	-
07-19	398	0	1	13	56	205	114	8	1	0	0	0	0	0	0	0	0	17.9	84.42	23.1	26.8
06-22	428	0	1	14	59	223	121	9	1	0	0	0	0	0	0	0	0	17.9	84.81	23.1	26.8
06-00	439	0	1	15	63	226	123	10	1	0	0	0	0	0	0	0	0	17.9	84.28	23.1	26.8
00-00	442	0	1	15	64	227	124	10	1	0	0	0	0	0	0	0	0	17.9	84.39	23.1	26.8

Peak step 12:00 (53) AM Peak step 11:00 (37) PM Peak step 12:00 (53)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	442	0	1	15	64	227	124	10	1	0	0	0	0	0	0	0	0	17.9	84.39	23.1	26.8

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6893 -- English (ENU)

Datasets:

Site: [20] CAMPBELL AVE BT GLEN ALTO DR AND ARBOLEDA DR
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: South (bound), P = North, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85	
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100					
0000	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	6.3	100.0	16.1	-	
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0500	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	11.9	100.0	21.7	-	
0600	4	0	0	0	1	2	0	1	0	0	0	0	0	0	0	0	0	13.3	75.00	23.7	-	
0700	18	0	0	0	3	7	7	1	0	0	0	0	0	0	0	0	0	18.8	77.78	23.8	28.8	
0800	58	0	0	0	6	37	15	0	0	0	0	0	0	0	0	0	0	18.8	94.83	23.4	26.0	
0900	31	0	0	0	6	18	6	1	0	0	0	0	0	0	0	0	0	17.4	90.32	23.2	26.0	
1000	35	0	1	1	5	18	9	1	0	0	0	0	0	0	0	0	0	19.1	77.14	23.1	28.7	
1100	30	0	0	1	5	15	7	2	0	0	0	0	0	0	0	0	0	17.8	90.00	23.4	26.4	
1200	35	0	1	1	2	15	12	4	0	0	0	0	0	0	0	0	0	20.6	85.71	24.1	28.3	
1300	31	0	1	0	2	20	7	1	0	0	0	0	0	0	0	0	0	18.2	90.32	22.9	27.1	
1400	53	0	1	0	3	20	27	2	0	0	0	0	0	0	0	0	0	18.9	94.34	24.6	27.3	
1500	54	0	0	3	4	29	17	1	0	0	0	0	0	0	0	0	0	17.8	87.04	23.3	26.5	
1600	37	0	1	2	4	18	12	0	0	0	0	0	0	0	0	0	0	17.6	83.78	22.4	26.5	
1700	49	0	2	0	7	24	16	0	0	0	0	0	0	0	0	0	0	18.1	83.67	22.7	26.3	
1800	37	0	0	0	3	23	11	0	0	0	0	0	0	0	0	0	0	18.6	97.30	23.5	26.1	
1900	28	0	0	0	3	15	7	2	1	0	0	0	0	0	0	0	0	16.8	82.14	24.3	29.2	
2000	8	0	0	0	2	3	2	1	0	0	0	0	0	0	0	0	0	16.2	75.00	24.1	-	
2100	6	0	0	0	1	4	1	0	0	0	0	0	0	0	0	0	0	16.9	100.0	22.9	-	
2200	8	0	0	1	1	4	1	1	0	0	0	0	0	0	0	0	0	16.3	75.00	22.7	-	
2300	4	0	0	0	0	1	3	0	0	0	0	0	0	0	0	0	0	16.7	100.0	24.8	-	
07-19	468	0	7	8	50	244	146	13	0	0	0	0	0	0	0	0	0	18.8	85.90	23.4	26.8	
06-22	514	0	7	8	57	268	156	17	1	0	0	0	0	0	0	0	0	18.7	85.21	23.4	26.9	
06-00	526	0	7	9	58	273	160	18	1	0	0	0	0	0	0	0	0	18.7	85.17	23.4	26.8	
00-00	528	0	7	9	59	274	160	18	1	0	0	0	0	0	0	0	0	18.7	85.04	23.4	26.8	

Peak step 8:00 (58) AM Peak step 8:00 (58) PM Peak step 15:00 (54)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	528	0	7	9	59	274	160	18	1	0	0	0	0	0	0	0	0	18.7	85.04	23.4	26.8

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6883 -- English (ENU)

Datasets:

Site: [15] CUESTA DR W OF SPRINGER RD
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	13.3	100.0	21.3	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	13.1	100.0	22.2	-
0500	7	0	0	0	1	2	4	0	0	0	0	0	0	0	0	0	0	18.7	85.71	24.9	-
0600	25	0	0	0	2	12	11	0	0	0	0	0	0	0	0	0	0	19.8	92.00	24.1	28.6
0700	74	0	0	0	6	36	28	4	0	0	0	0	0	0	0	0	0	18.1	87.84	24.3	27.5
0800	112	0	0	0	10	73	28	1	0	0	0	0	0	0	0	0	0	18.1	92.86	23.3	26.2
0900	126	0	0	0	19	75	29	3	0	0	0	0	0	0	0	0	0	16.8	90.48	23.1	25.9
1000	126	0	0	1	27	72	24	2	0	0	0	0	0	0	0	0	0	17.0	84.13	22.4	25.9
1100	123	1	0	1	20	70	30	1	0	0	0	0	0	0	0	0	0	17.6	94.31	22.6	25.8
1200	151	0	0	1	28	92	28	2	0	0	0	0	0	0	0	0	0	17.6	90.07	22.4	25.4
1300	153	0	0	4	40	82	23	4	0	0	0	0	0	0	0	0	0	15.8	84.97	21.8	25.3
1400	155	0	0	4	36	88	27	0	0	0	0	0	0	0	0	0	0	16.1	83.87	22.0	25.3
1500	182	0	0	2	38	105	36	1	0	0	0	0	0	0	0	0	0	17.4	88.46	22.4	25.6
1600	175	1	1	7	40	98	27	1	0	0	0	0	0	0	0	0	0	17.1	86.86	21.8	25.2
1700	159	1	0	3	25	92	36	2	0	0	0	0	0	0	0	0	0	18.1	86.79	22.7	25.8
1800	121	0	0	0	15	81	22	3	0	0	0	0	0	0	0	0	0	17.6	95.04	23.1	25.5
1900	81	0	0	0	5	38	37	1	0	0	0	0	0	0	0	0	0	19.9	92.59	24.3	27.6
2000	50	0	0	0	8	29	12	1	0	0	0	0	0	0	0	0	0	18.5	92.00	23.0	26.1
2100	42	0	0	2	3	24	12	1	0	0	0	0	0	0	0	0	0	19.5	85.71	23.3	27.4
2200	14	0	0	0	2	7	4	1	0	0	0	0	0	0	0	0	0	16.2	85.71	23.6	27.2
2300	6	0	0	0	1	4	1	0	0	0	0	0	0	0	0	0	0	16.8	100.0	22.0	-
07-19	1657	3	1	23	304	964	338	24	0	0	0	0	0	0	0	0	0	17.7	87.39	22.5	25.7
06-22	1855	3	1	25	322	1067	410	27	0	0	0	0	0	0	0	0	0	17.7	87.01	22.7	25.9
06-00	1875	3	1	25	325	1078	415	28	0	0	0	0	0	0	0	0	0	17.7	87.04	22.7	25.9
00-00	1888	3	1	25	326	1086	419	28	0	0	0	0	0	0	0	0	0	17.7	87.02	22.7	25.9

Peak step 15:00 (182) AM Peak step 9:00 (126) PM Peak step 15:00 (182)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	1888	3	1	25	326	1086	419	28	0	0	0	0	0	0	0	0	0	17.7	87.02	22.7	25.9

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6882 -- English (ENU)

Datasets:

Site: [15] CUESTA DR W OF SPRINGER RD
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	19.6	100.0	29.4	-
0100	3	0	0	1	0	2	0	0	0	0	0	0	0	0	0	0	0	13.8	100.0	20.0	-
0200	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	18.7	100.0	28.5	-
0300	3	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	19.2	100.0	26.3	-
0400	6	0	0	0	0	2	4	0	0	0	0	0	0	0	0	0	0	17.3	100.0	24.6	-
0500	15	0	0	1	2	6	4	1	1	0	0	0	0	0	0	0	0	18.7	80.00	24.0	29.9
0600	39	0	0	0	5	19	13	2	0	0	0	0	0	0	0	0	0	19.1	89.74	24.0	28.0
0700	106	0	0	3	24	41	34	4	0	0	0	0	0	0	0	0	0	19.1	79.25	23.4	27.8
0800	148	0	0	1	12	78	50	7	0	0	0	0	0	0	0	0	0	19.1	88.51	24.2	27.6
0900	152	0	0	0	12	68	63	9	0	0	0	0	0	0	0	0	0	19.1	90.13	24.5	27.9
1000	116	0	0	2	4	54	47	8	1	0	0	0	0	0	0	0	0	19.7	87.93	24.9	28.6
1100	140	0	0	0	6	76	54	4	0	0	0	0	0	0	0	0	0	19.5	94.29	24.3	27.1
1200	144	0	0	0	13	65	63	3	0	0	0	0	0	0	0	0	0	20.0	88.89	24.3	27.9
1300	126	0	0	0	10	65	46	5	0	0	0	0	0	0	0	0	0	19.7	90.48	24.3	28.1
1400	138	0	0	0	9	68	52	9	0	0	0	0	0	0	0	0	0	19.8	86.96	24.7	28.8
1500	141	0	0	1	11	57	67	5	0	0	0	0	0	0	0	0	0	18.8	87.94	24.7	27.8
1600	164	0	0	0	11	73	75	4	1	0	0	0	0	0	0	0	0	20.0	90.85	24.8	27.4
1700	143	0	0	0	9	57	72	5	0	0	0	0	0	0	0	0	0	20.1	90.91	25.0	27.8
1800	113	0	0	1	9	59	41	2	1	0	0	0	0	0	0	0	0	18.5	90.27	24.2	27.4
1900	75	0	0	1	9	26	32	6	1	0	0	0	0	0	0	0	0	20.2	78.67	24.8	28.9
2000	55	0	0	0	3	21	29	2	0	0	0	0	0	0	0	0	0	18.9	90.91	24.9	27.6
2100	31	0	0	0	2	11	17	1	0	0	0	0	0	0	0	0	0	19.5	93.55	24.9	27.8
2200	17	0	0	0	1	11	3	2	0	0	0	0	0	0	0	0	0	18.1	88.24	24.4	28.8
2300	9	0	0	0	0	1	6	1	1	0	0	0	0	0	0	0	0	22.0	88.89	28.0	-
07-19	1631	0	0	8	130	761	664	65	3	0	0	0	0	0	0	0	0	19.9	88.04	24.5	27.7
06-22	1831	0	0	9	149	838	755	76	4	0	0	0	0	0	0	0	0	19.9	87.60	24.5	27.7
06-00	1857	0	0	9	150	850	764	79	5	0	0	0	0	0	0	0	0	19.9	87.51	24.5	27.8
00-00	1886	0	0	11	152	861	776	80	6	0	0	0	0	0	0	0	0	19.9	87.38	24.5	27.8

Peak step 16:00 (164) AM Peak step 9:00 (152) PM Peak step 16:00 (164)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	1886	0	0	11	152	861	776	80	6	0	0	0	0	0	0	0	0	19.9	87.38	24.5	27.8

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6877 -- English (ENU)

Datasets:

Site: [13] CUESTRA DR BT CAMPBELL AVE AND ARBOLEDA DR
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85	
	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100					
0000	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	10.8	100.0	19.1	-	
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0500	6	0	0	0	1	3	2	0	0	0	0	0	0	0	0	0	15.7	100.0	23.3	-	
0600	27	0	0	1	4	16	4	2	0	0	0	0	0	0	0	0	17.1	81.48	23.6	26.9	
0700	73	0	0	1	8	38	22	4	0	0	0	0	0	0	0	0	18.9	89.04	23.9	27.2	
0800	102	0	1	1	14	67	16	3	0	0	0	0	0	0	0	0	16.4	85.29	22.7	25.7	
0900	116	0	1	2	16	68	28	1	0	0	0	0	0	0	0	0	18.0	87.93	22.9	26.1	
1000	121	0	0	4	18	72	25	2	0	0	0	0	0	0	0	0	17.2	85.95	22.9	26.0	
1100	121	0	0	1	16	80	21	2	1	0	0	0	0	0	0	0	17.8	90.08	23.0	25.6	
1200	138	0	0	3	29	81	24	1	0	0	0	0	0	0	0	0	18.0	91.30	22.4	25.3	
1300	154	0	0	1	35	88	29	1	0	0	0	0	0	0	0	0	17.0	90.26	22.5	25.7	
1400	161	0	0	2	44	77	38	0	0	0	0	0	0	0	0	0	17.4	83.85	22.3	25.9	
1500	163	0	0	0	22	101	35	5	0	0	0	0	0	0	0	0	18.0	92.02	23.1	26.4	
1600	176	1	0	0	25	102	47	1	0	0	0	0	0	0	0	0	18.2	92.05	23.3	26.5	
1700	163	0	0	0	16	88	54	5	0	0	0	0	0	0	0	0	18.9	90.18	24.0	27.7	
1800	130	0	0	1	10	71	41	7	0	0	0	0	0	0	0	0	18.8	87.69	24.1	27.1	
1900	81	0	0	0	17	42	22	0	0	0	0	0	0	0	0	0	18.3	93.83	22.9	26.3	
2000	49	0	0	1	6	30	12	0	0	0	0	0	0	0	0	0	18.6	91.84	22.9	25.9	
2100	39	0	0	0	10	13	16	0	0	0	0	0	0	0	0	0	18.2	89.74	23.2	27.0	
2200	15	0	0	1	1	7	4	2	0	0	0	0	0	0	0	0	20.8	86.67	24.1	29.7	
2300	7	0	0	0	0	4	3	0	0	0	0	0	0	0	0	0	18.2	100.0	24.2	-	
07-19	1618	1	2	16	253	933	380	32	1	0	0	0	0	0	0	0	18.7	87.52	23.1	26.5	
06-22	1814	1	2	18	290	1034	434	34	1	0	0	0	0	0	0	0	18.7	87.76	23.1	26.5	
06-00	1836	1	2	19	291	1045	441	36	1	0	0	0	0	0	0	0	18.7	87.58	23.1	26.5	
00-00	1844	1	2	19	293	1049	443	36	1	0	0	0	0	0	0	0	18.7	87.58	23.1	26.5	

Peak step 16:00 (176) AM Peak step 10:00 (121) PM Peak step 16:00 (176)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--	1844	1	2	19	293	1049	443	36	1	0	0	0	0	0	0	0	18.7	87.58	23.1	26.5

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6876 -- English (ENU)

Datasets:

Site: [13] CUESTRA DR BT CAMPBELL AVE AND ARBOLEDA DR
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	19.0	100.0	28.8	-
0100	3	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	13.1	100.0	20.0	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	4	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	17.4	100.0	25.3	-
0400	4	0	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	16.6	100.0	23.6	-
0500	13	0	0	0	3	4	5	1	0	0	0	0	0	0	0	0	0	18.5	84.62	23.6	28.3
0600	37	0	1	1	5	21	8	1	0	0	0	0	0	0	0	0	0	16.9	83.78	22.7	26.7
0700	106	0	1	4	22	62	17	0	0	0	0	0	0	0	0	0	0	17.0	88.68	21.9	25.3
0800	141	0	0	0	21	92	28	0	0	0	0	0	0	0	0	0	0	18.5	94.33	22.9	26.0
0900	156	0	0	4	23	102	27	0	0	0	0	0	0	0	0	0	0	18.6	92.95	22.2	25.4
1000	120	0	1	0	30	71	18	0	0	0	0	0	0	0	0	0	0	17.2	90.83	21.9	25.0
1100	150	0	0	2	24	97	26	1	0	0	0	0	0	0	0	0	0	16.8	90.00	22.4	25.4
1200	150	0	2	1	22	100	25	0	0	0	0	0	0	0	0	0	0	16.9	91.33	22.2	25.5
1300	132	0	2	1	26	87	16	0	0	0	0	0	0	0	0	0	0	18.1	94.70	22.0	24.7
1400	131	0	0	0	22	75	33	0	1	0	0	0	0	0	0	0	0	17.0	89.31	23.0	26.3
1500	135	0	5	1	16	79	31	3	0	0	0	0	0	0	0	0	0	17.1	86.67	22.7	26.2
1600	161	0	0	2	18	104	34	3	0	0	0	0	0	0	0	0	0	18.3	92.55	23.2	26.7
1700	129	0	0	3	24	67	31	4	0	0	0	0	0	0	0	0	0	17.9	87.60	22.9	26.1
1800	103	0	1	3	7	64	25	3	0	0	0	0	0	0	0	0	0	18.9	89.32	23.0	26.1
1900	64	0	0	1	14	35	13	1	0	0	0	0	0	0	0	0	0	18.6	85.94	22.5	26.3
2000	44	0	0	0	3	27	12	2	0	0	0	0	0	0	0	0	0	18.7	95.45	23.8	26.7
2100	26	0	0	0	1	19	6	0	0	0	0	0	0	0	0	0	0	18.2	100.0	23.5	26.5
2200	12	0	0	0	0	9	3	0	0	0	0	0	0	0	0	0	0	19.9	100.0	24.3	27.4
2300	8	0	0	0	0	3	3	1	1	0	0	0	0	0	0	0	0	16.8	75.00	26.8	-
07-19	1614	0	12	21	255	1000	311	14	1	0	0	0	0	0	0	0	0	17.9	89.22	22.5	25.7
06-22	1785	0	13	23	278	1102	350	18	1	0	0	0	0	0	0	0	0	17.9	88.91	22.6	25.7
06-00	1805	0	13	23	278	1114	356	19	2	0	0	0	0	0	0	0	0	17.9	88.86	22.6	25.8
00-00	1830	0	13	23	283	1124	365	20	2	0	0	0	0	0	0	0	0	18.5	88.74	22.6	25.8

Peak step 16:00 (161) AM Peak step 9:00 (156) PM Peak step 16:00 (161)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	1830	0	13	23	283	1124	365	20	2	0	0	0	0	0	0	0	0	18.5	88.74	22.6	25.8

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6879 -- English (ENU)

Datasets:

Site: [14] CUESTRA DR BT CAMPBELL AVE AND SPRINGER RD
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	13.8	100.0	21.4	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	13.4	100.0	22.3	-
0500	8	0	0	0	1	4	3	0	0	0	0	0	0	0	0	0	0	16.9	100.0	24.4	-
0600	29	0	0	0	5	14	8	1	1	0	0	0	0	0	0	0	0	16.8	79.31	23.9	28.3
0700	89	0	0	3	6	55	23	2	0	0	0	0	0	0	0	0	0	19.5	89.89	23.4	26.3
0800	121	0	0	1	10	70	40	0	0	0	0	0	0	0	0	0	0	19.8	92.56	23.6	26.6
0900	134	0	0	1	10	80	39	4	0	0	0	0	0	0	0	0	0	18.5	93.28	23.8	26.8
1000	125	0	0	0	14	63	44	4	0	0	0	0	0	0	0	0	0	18.5	89.60	24.1	27.1
1100	132	0	0	2	16	71	40	2	1	0	0	0	0	0	0	0	0	18.6	88.64	23.6	27.2
1200	160	0	0	4	23	99	34	0	0	0	0	0	0	0	0	0	0	17.0	91.88	22.7	25.7
1300	164	0	0	8	22	105	26	3	0	0	0	0	0	0	0	0	0	17.3	87.80	22.4	25.5
1400	156	0	0	0	18	106	30	2	0	0	0	0	0	0	0	0	0	18.3	93.59	23.0	25.8
1500	186	0	0	0	17	112	54	3	0	0	0	0	0	0	0	0	0	18.5	93.01	23.6	26.4
1600	183	0	1	5	16	124	36	1	0	0	0	0	0	0	0	0	0	18.2	91.26	22.8	25.8
1700	169	0	0	0	26	95	43	5	0	0	0	0	0	0	0	0	0	18.0	89.94	23.3	26.5
1800	132	0	0	1	10	79	39	3	0	0	0	0	0	0	0	0	0	19.6	92.42	23.9	26.5
1900	88	0	0	1	11	44	29	3	0	0	0	0	0	0	0	0	0	18.5	88.64	23.7	27.1
2000	54	0	0	1	1	41	9	2	0	0	0	0	0	0	0	0	0	18.1	92.59	23.6	26.3
2100	43	0	0	0	5	23	15	0	0	0	0	0	0	0	0	0	0	18.7	90.70	23.7	26.6
2200	14	0	0	0	1	7	5	1	0	0	0	0	0	0	0	0	0	19.3	92.86	24.3	29.0
2300	6	0	0	0	1	3	2	0	0	0	0	0	0	0	0	0	0	15.9	100.0	23.3	-
07-19	1751	0	1	25	188	1059	448	29	1	0	0	0	0	0	0	0	0	18.5	90.35	23.3	26.3
06-22	1965	0	1	27	210	1181	509	35	2	0	0	0	0	0	0	0	0	18.5	89.97	23.3	26.4
06-00	1985	0	1	27	212	1191	516	36	2	0	0	0	0	0	0	0	0	18.5	89.97	23.4	26.4
00-00	1999	0	1	27	213	1201	519	36	2	0	0	0	0	0	0	0	0	18.5	89.99	23.4	26.4

Peak step 15:00 (186) AM Peak step 9:00 (134) PM Peak step 15:00 (186)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--	1999	0	1	27	213	1201	519	36	2	0	0	0	0	0	0	0	0	18.5	89.99	23.4	26.4

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6878 -- English (ENU)

Datasets:

Site: [14] CUESTRA DR BT CAMPBELL AVE AND SPRINGER RD
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	18.6	100.0	28.4	-
0100	3	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	17.0	100.0	25.5	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	4	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	23.8	100.0	30.6	-
0400	6	0	0	0	1	5	0	0	0	0	0	0	0	0	0	0	0	16.9	100.0	25.6	-
0500	15	0	0	3	4	7	1	0	0	0	0	0	0	0	0	0	0	17.4	80.00	24.6	28.6
0600	44	0	3	5	15	19	2	0	0	0	0	0	0	0	0	0	0	19.5	79.55	23.6	28.4
0700	108	0	2	3	13	38	4	0	0	0	0	0	0	0	0	0	0	19.9	79.63	24.0	27.8
0800	151	0	0	12	70	64	5	0	0	0	0	0	0	0	0	0	0	19.1	90.07	24.5	27.3
0900	152	0	0	1	6	75	61	9	0	0	0	0	0	0	0	0	0	20.2	90.13	24.7	27.8
1000	116	0	0	2	50	59	5	0	0	0	0	0	0	0	0	0	0	20.1	93.97	25.3	28.1
1100	144	0	2	7	82	48	4	1	0	0	0	0	0	0	0	0	0	18.8	90.28	24.2	27.4
1200	154	0	1	5	15	66	60	7	0	0	0	0	0	0	0	0	0	18.6	83.77	24.0	27.8
1300	139	0	0	3	8	64	59	5	0	0	0	0	0	0	0	0	0	19.6	90.65	24.6	27.7
1400	142	0	0	3	3	72	54	9	1	0	0	0	0	0	0	0	0	20.4	90.85	24.7	28.0
1500	143	0	2	1	10	56	63	11	0	0	0	0	0	0	0	0	0	19.6	84.62	24.8	28.2
1600	168	0	0	5	5	82	69	5	2	0	0	0	0	0	0	0	0	20.0	89.88	24.6	28.0
1700	149	0	0	5	6	58	67	13	0	0	0	0	0	0	0	0	0	20.5	85.91	24.9	28.4
1800	116	0	0	2	7	56	48	3	0	0	0	0	0	0	0	0	0	20.2	91.38	24.3	27.0
1900	75	0	0	1	8	26	34	6	0	0	0	0	0	0	0	0	0	18.7	81.33	24.9	28.7
2000	56	0	0	0	2	30	22	2	0	0	0	0	0	0	0	0	0	20.0	92.86	24.8	28.1
2100	31	0	0	2	1	5	20	3	0	0	0	0	0	0	0	0	0	19.3	80.65	25.7	29.1
2200	17	0	0	0	2	9	4	2	0	0	0	0	0	0	0	0	0	16.8	82.35	24.2	28.9
2300	9	0	0	0	0	3	4	1	1	0	0	0	0	0	0	0	0	22.0	88.89	28.1	-
07-19	1682	0	5	30	94	769	700	80	4	0	0	0	0	0	0	0	0	20.2	87.57	24.5	27.8
06-22	1888	0	5	36	110	845	795	93	4	0	0	0	0	0	0	0	0	20.2	87.08	24.6	27.8
06-00	1914	0	5	36	112	857	803	96	5	0	0	0	0	0	0	0	0	20.2	86.94	24.6	28.0
00-00	1943	0	5	36	115	864	819	99	5	0	0	0	0	0	0	0	0	20.2	86.82	24.6	28.0

Peak step 16:00 (168) AM Peak step 9:00 (152) PM Peak step 16:00 (168)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	1943	0	5	36	115	864	819	99	5	0	0	0	0	0	0	0	0	20.2	86.82	24.6	28.0

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6881 -- English (ENU)

Datasets:

Site: [12] CUESTRA DR BT SHELBY LN AND ARBOLEDA DR
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	16.4	100.0	24.9	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	6	0	0	0	1	0	5	0	0	0	0	0	0	0	0	0	0	18.1	83.33	25.5	-
0600	26	0	0	0	2	8	14	2	0	0	0	0	0	0	0	0	0	20.8	88.46	25.6	29.6
0700	78	0	1	0	5	30	35	7	0	0	0	0	0	0	0	0	0	20.4	84.62	25.1	29.1
0800	112	0	0	0	6	57	40	7	2	0	0	0	0	0	0	0	0	19.6	88.39	25.0	28.7
0900	123	0	2	1	6	50	57	7	0	0	0	0	0	0	0	0	0	19.7	87.80	24.9	28.5
1000	133	0	0	7	6	61	50	9	0	0	0	0	0	0	0	0	0	19.9	83.46	24.4	28.2
1100	125	0	0	4	5	56	53	6	1	0	0	0	0	0	0	0	0	20.4	88.00	24.8	28.3
1200	151	0	1	3	8	65	65	9	0	0	0	0	0	0	0	0	0	19.3	88.08	24.7	28.1
1300	164	0	2	1	15	79	59	8	0	0	0	0	0	0	0	0	0	18.7	85.98	24.0	27.9
1400	160	0	0	0	8	84	57	10	1	0	0	0	0	0	0	0	0	20.1	88.75	24.6	28.2
1500	175	0	0	3	13	87	67	5	0	0	0	0	0	0	0	0	0	20.0	88.00	24.1	28.1
1600	184	0	0	5	17	91	63	8	0	0	0	0	0	0	0	0	0	17.7	86.41	24.0	27.2
1700	172	0	0	2	15	72	73	9	0	0	0	1	0	0	0	0	0	18.7	84.88	24.7	27.9
1800	136	0	0	1	11	58	57	8	1	0	0	0	0	0	0	0	0	19.8	86.76	24.8	28.3
1900	88	0	1	0	9	36	34	7	1	0	0	0	0	0	0	0	0	18.2	84.09	24.6	27.8
2000	51	0	0	0	0	24	19	7	1	0	0	0	0	0	0	0	0	20.9	88.24	26.0	30.4
2100	43	0	1	0	6	16	17	3	0	0	0	0	0	0	0	0	0	18.7	86.05	24.2	28.1
2200	15	0	0	0	2	8	3	2	0	0	0	0	0	0	0	0	0	17.4	80.00	24.6	30.8
2300	7	0	0	0	0	3	4	0	0	0	0	0	0	0	0	0	0	17.7	100.0	24.6	-
07-19	1713	0	6	27	115	790	676	93	5	0	0	1	0	0	0	0	0	19.8	85.70	24.5	28.1
06-22	1921	0	8	27	132	874	760	112	7	0	0	1	0	0	0	0	0	19.8	85.11	24.6	28.1
06-00	1943	0	8	27	134	885	767	114	7	0	0	1	0	0	0	0	0	19.8	85.07	24.6	28.1
00-00	1951	0	8	27	135	886	773	114	7	0	0	1	0	0	0	0	0	19.8	85.08	24.6	28.1

Peak step 16:00 (184) AM Peak step 10:00 (133) PM Peak step 16:00 (184)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	1951	0	8	27	135	886	773	114	7	0	0	1	0	0	0	0	0	19.8	85.08	24.6	28.1

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6880 -- English (ENU)

Datasets:

Site: [12] CUESTRA DR BT SHELBY LN AND ARBOLEDA DR
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	13.9	100.0	23.7	-
0100	3	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	11.4	100.0	20.4	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	4	0	0	0	0	1	3	0	0	0	0	0	0	0	0	0	0	18.2	100.0	26.0	-
0400	4	0	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	16.6	100.0	24.6	-
0500	13	0	0	1	3	3	6	0	0	0	0	0	0	0	0	0	0	18.6	76.92	22.9	28.4
0600	37	0	1	0	3	25	5	3	0	0	0	0	0	0	0	0	0	17.3	89.19	23.1	25.9
0700	106	0	1	2	29	57	16	1	0	0	0	0	0	0	0	0	0	15.7	85.85	21.5	25.1
0800	150	0	0	9	40	78	22	1	0	0	0	0	0	0	0	0	0	17.3	90.00	21.4	25.1
0900	158	0	2	2	55	83	15	1	0	0	0	0	0	0	0	0	0	16.0	90.51	21.0	24.3
1000	120	0	0	5	27	79	9	0	0	0	0	0	0	0	0	0	0	16.3	93.33	21.3	24.1
1100	154	0	0	5	38	92	19	0	0	0	0	0	0	0	0	0	0	16.7	90.91	21.7	24.8
1200	160	0	0	4	43	99	12	2	0	0	0	0	0	0	0	0	0	15.1	88.75	21.3	24.2
1300	134	0	0	3	42	71	18	0	0	0	0	0	0	0	0	0	0	16.0	91.04	21.4	24.7
1400	135	0	0	1	33	75	24	1	1	0	0	0	0	0	0	0	0	17.3	91.11	22.3	25.6
1500	134	0	0	1	28	88	17	0	0	0	0	0	0	0	0	0	0	16.1	91.79	22.0	24.8
1600	170	0	0	2	43	106	19	0	0	0	0	0	0	0	0	0	0	16.6	91.76	21.8	24.4
1700	132	0	0	3	27	82	19	0	0	0	0	1	0	0	0	0	0	16.4	90.15	22.1	25.1
1800	114	0	0	6	28	66	12	2	0	0	0	0	0	0	0	0	0	16.1	86.84	21.4	24.4
1900	67	0	0	1	10	36	19	1	0	0	0	0	0	0	0	0	0	18.0	88.06	23.0	26.5
2000	48	0	0	0	7	34	6	1	0	0	0	0	0	0	0	0	0	18.3	89.58	23.0	25.2
2100	27	0	0	0	6	16	5	0	0	0	0	0	0	0	0	0	0	17.1	96.30	22.6	25.5
2200	12	0	0	0	0	8	4	0	0	0	0	0	0	0	0	0	0	18.1	100.0	24.0	26.4
2300	8	0	0	0	2	4	1	1	0	0	0	0	0	0	0	0	0	17.1	87.50	23.8	-
07-19	1667	0	3	43	433	976	202	8	1	0	0	1	0	0	0	0	0	17.0	89.26	21.6	24.7
06-22	1846	0	4	44	459	1087	237	13	1	0	0	1	0	0	0	0	0	17.0	89.00	21.7	24.8
06-00	1866	0	4	44	461	1099	242	14	1	0	0	1	0	0	0	0	0	17.0	88.96	21.7	24.8
00-00	1891	0	4	45	465	1109	252	14	1	0	0	1	0	0	0	0	0	17.0	88.84	21.8	24.9

Peak step 16:00 (170) AM Peak step 9:00 (158) PM Peak step 16:00 (170)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	1891	0	4	45	465	1109	252	14	1	0	0	1	0	0	0	0	0	17.0	88.84	21.8	24.9

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6859 -- English (ENU)

Datasets:

Site: [3] GIRALDA DR BT S CLARKE AVE AND SPRINGER RD
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	10.8	100.0	20.7	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	16.2	100.0	25.3	-
0700	8	0	0	0	1	4	3	0	0	0	0	0	0	0	0	0	0	17.9	87.50	23.9	-
0800	11	0	0	0	1	0	6	3	1	0	0	0	0	0	0	0	0	25.2	81.82	28.5	35.2
0900	12	0	0	0	3	3	3	2	1	0	0	0	0	0	0	0	0	17.9	75.00	25.6	32.6
1000	11	0	0	1	1	2	4	2	1	0	0	0	0	0	0	0	0	19.3	63.64	26.1	31.9
1100	15	0	0	1	2	6	3	3	0	0	0	0	0	0	0	0	0	22.1	73.33	24.3	30.9
1200	12	0	0	0	0	4	7	1	0	0	0	0	0	0	0	0	0	18.1	91.67	25.6	28.2
1300	12	0	1	0	4	3	3	1	0	0	0	0	0	0	0	0	0	16.6	66.67	21.3	27.1
1400	17	0	0	2	4	3	6	1	1	0	0	0	0	0	0	0	0	18.9	70.59	23.8	29.8
1500	15	0	0	1	6	6	2	0	0	0	0	0	0	0	0	0	0	17.2	93.33	21.2	25.7
1600	10	0	0	0	3	1	5	0	1	0	0	0	0	0	0	0	0	19.1	70.00	25.4	-
1700	17	0	0	1	3	5	5	3	0	0	0	0	0	0	0	0	0	18.0	70.59	24.3	30.5
1800	16	0	0	1	3	7	4	1	0	0	0	0	0	0	0	0	0	17.6	81.25	23.1	28.2
1900	6	0	0	0	0	3	2	1	0	0	0	0	0	0	0	0	0	20.2	100.0	26.0	-
2000	5	0	0	0	0	2	3	0	0	0	0	0	0	0	0	0	0	17.7	100.0	24.9	-
2100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2200	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	14.1	100.0	23.9	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	156	0	1	7	31	44	51	17	5	0	0	0	0	0	0	0	0	18.1	68.59	24.3	29.6
06-22	169	0	1	7	31	50	57	18	5	0	0	0	0	0	0	0	0	18.1	69.82	24.4	29.3
06-00	170	0	1	7	31	51	57	18	5	0	0	0	0	0	0	0	0	18.1	70.00	24.4	29.3
00-00	171	0	1	7	31	52	57	18	5	0	0	0	0	0	0	0	0	18.1	70.18	24.3	29.2

Peak step 14:00 (17) AM Peak step 11:00 (15) PM Peak step 14:00 (17)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	171	0	1	7	31	52	57	18	5	0	0	0	0	0	0	0	0	18.1	70.18	24.3	29.2

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6858 -- English (ENU)

Datasets:

Site: [3] GIRALDA DR BT S CLARKE AVE AND SPRINGER RD
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0500	3	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	17.4	100.0	22.9	--
0600	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	10.4	100.0	20.3	--
0700	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	18.2	100.0	24.7	--
0800	16	0	0	1	2	6	7	0	0	0	0	0	0	0	0	0	0	19.2	87.50	23.5	28.3
0900	6	0	0	0	1	0	5	0	0	0	0	0	0	0	0	0	0	19.7	83.33	26.1	--
1000	9	0	0	0	0	3	5	1	0	0	0	0	0	0	0	0	0	18.8	88.89	26.0	--
1100	9	0	0	1	2	2	2	1	1	0	0	0	0	0	0	0	0	16.2	55.56	24.0	--
1200	8	0	0	0	0	3	5	0	0	0	0	0	0	0	0	0	0	19.5	100.0	26.0	--
1300	13	0	0	0	2	2	6	3	0	0	0	0	0	0	0	0	0	20.4	69.23	26.1	32.9
1400	18	0	1	1	4	6	5	1	0	0	0	0	0	0	0	0	0	18.6	77.78	22.0	27.5
1500	7	0	1	1	3	1	1	0	0	0	0	0	0	0	0	0	0	8.9	71.43	18.4	--
1600	9	0	0	3	1	4	1	0	0	0	0	0	0	0	0	0	0	15.0	55.56	20.2	--
1700	10	0	0	1	1	3	5	0	0	0	0	0	0	0	0	0	0	18.7	90.00	23.8	--
1800	12	0	0	1	3	5	3	0	0	0	0	0	0	0	0	0	0	18.5	83.33	21.5	26.5
1900	8	0	1	0	0	6	1	0	0	0	0	0	0	0	0	0	0	18.0	87.50	21.0	--
2000	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	19.8	100.0	29.6	--
2100	2	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.0	50.00	16.8	--
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
07-19	119	0	2	9	19	36	46	6	1	0	0	0	0	0	0	0	0	18.8	72.27	23.4	28.4
06-22	131	0	4	9	19	44	48	6	1	0	0	0	0	0	0	0	0	18.8	72.52	23.2	28.4
06-00	131	0	4	9	19	44	48	6	1	0	0	0	0	0	0	0	0	18.8	72.52	23.2	28.4
00-00	134	0	4	9	19	46	49	6	1	0	0	0	0	0	0	0	0	18.8	73.13	23.1	28.4

Peak step 14:00 (18) AM Peak step 8:00 (16) PM Peak step 14:00 (18)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	134	0	4	9	19	46	49	6	1	0	0	0	0	0	0	0	0	18.8	73.13	23.1	28.4

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6863 -- English (ENU)

Datasets:

Site: [5] PACO DR BT SILVIA CT AND S CLARK AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	5.0	100.0	14.9	-
0600	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0700	5	0	2	0	1	1	1	0	0	0	0	0	0	0	0	0	0	17.0	60.00	16.8	-
0800	10	0	0	2	2	3	3	0	0	0	0	0	0	0	0	0	0	13.5	70.00	21.3	-
0900	7	0	1	0	4	1	0	1	0	0	0	0	0	0	0	0	0	13.5	71.43	18.7	-
1000	6	0	1	1	1	1	2	0	0	0	0	0	0	0	0	0	0	17.4	66.67	19.3	-
1100	6	0	1	0	0	3	1	1	0	0	0	0	0	0	0	0	0	20.9	83.33	22.6	-
1200	7	0	0	0	4	1	1	1	0	0	0	0	0	0	0	0	0	15.2	85.71	21.1	-
1300	6	0	0	1	2	1	2	0	0	0	0	0	0	0	0	0	0	12.0	66.67	20.0	-
1400	6	0	1	0	2	0	3	0	0	0	0	0	0	0	0	0	0	8.9	50.00	21.3	-
1500	12	0	0	1	1	3	7	0	0	0	0	0	0	0	0	0	0	20.0	83.33	23.4	29.0
1600	6	0	1	1	1	0	2	0	1	0	0	0	0	0	0	0	0	18.0	50.00	21.6	-
1700	8	0	0	0	0	5	2	1	0	0	0	0	0	0	0	0	0	18.8	87.50	24.5	-
1800	4	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	13.2	100.0	20.8	-
1900	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	14.8	100.0	22.7	-
2000	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	17.3	100.0	25.8	-
2100	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	18.6	100.0	28.4	-
2200	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	10.4	100.0	20.2	-
2300	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	8.9	100.0	18.8	-
07-19	83	0	7	6	20	21	24	4	1	0	0	0	0	0	0	0	0	17.4	61.45	21.3	27.5
06-22	89	0	7	6	20	25	26	4	1	0	0	0	0	0	0	0	0	17.4	62.92	21.5	27.6
06-00	91	0	7	6	21	26	26	4	1	0	0	0	0	0	0	0	0	17.4	63.74	21.5	27.4
00-00	92	0	7	7	21	26	26	4	1	0	0	0	0	0	0	0	0	17.4	63.04	21.4	27.3

Peak step 15:00 (12) AM Peak step 8:00 (10) PM Peak step 15:00 (12)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	92	0	7	7	21	26	26	4	1	0	0	0	0	0	0	0	0	17.4	63.04	21.4	27.3

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6862 -- English (ENU)

Datasets:

Site: [5] PACO DR BT SILVIA CT AND S CLARK AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0700	7	0	1	0	1	3	2	0	0	0	0	0	0	0	0	0	0	17.1	85.71	20.5	-
0800	7	0	0	1	2	4	0	0	0	0	0	0	0	0	0	0	0	13.9	100.0	20.3	-
0900	10	0	1	1	0	6	2	0	0	0	0	0	0	0	0	0	0	19.1	80.00	21.6	-
1000	9	0	0	0	2	6	1	0	0	0	0	0	0	0	0	0	0	16.6	100.0	21.9	-
1100	5	0	1	0	0	0	2	2	0	0	0	0	0	0	0	0	0	22.5	80.00	25.4	-
1200	7	0	0	0	0	6	1	0	0	0	0	0	0	0	0	0	0	18.2	100.0	23.6	-
1300	9	0	2	1	1	3	1	1	0	0	0	0	0	0	0	0	0	13.3	55.56	19.2	-
1400	2	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	1.8	50.00	17.6	-
1500	10	0	0	1	5	3	1	0	0	0	0	0	0	0	0	0	0	14.8	80.00	19.8	-
1600	5	0	0	0	0	2	3	0	0	0	0	0	0	0	0	0	0	17.4	100.0	25.6	-
1700	11	0	0	0	2	7	2	0	0	0	0	0	0	0	0	0	0	17.8	90.91	22.4	27.4
1800	7	0	0	0	3	4	0	0	0	0	0	0	0	0	0	0	0	13.9	100.0	21.0	-
1900	5	0	0	0	1	3	1	0	0	0	0	0	0	0	0	0	0	15.2	100.0	22.3	-
2000	8	0	0	1	1	3	3	0	0	0	0	0	0	0	0	0	0	20.1	75.00	23.1	-
2100	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	14.0	100.0	23.8	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	89	0	5	5	16	45	15	3	0	0	0	0	0	0	0	0	0	17.6	74.16	21.5	26.6
06-22	103	0	5	6	18	52	19	3	0	0	0	0	0	0	0	0	0	17.6	73.79	21.7	26.8
06-00	103	0	5	6	18	52	19	3	0	0	0	0	0	0	0	0	0	17.6	73.79	21.7	26.8
00-00	103	0	5	6	18	52	19	3	0	0	0	0	0	0	0	0	0	17.6	73.79	21.7	26.8

Peak step 17:00 (11) AM Peak step 9:00 (10) PM Peak step 17:00 (11)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	103	0	5	6	18	52	19	3	0	0	0	0	0	0	0	0	0	17.6	73.79	21.7	26.8

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6865 -- English (ENU)

Datasets:

Site: [6] PACO DR BT SPRINGER RD AND S CLARKE AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	8.8	100.0	18.6	-
0600	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	14.9	100.0	23.9	-
0700	6	0	0	0	0	3	2	1	0	0	0	0	0	0	0	0	0	19.6	83.33	25.4	-
0800	21	0	0	2	1	5	9	4	0	0	0	0	0	0	0	0	0	22.5	71.43	25.6	30.9
0900	13	0	0	0	2	4	4	3	0	0	0	0	0	0	0	0	0	17.9	69.23	25.9	34.1
1000	10	0	0	1	1	3	4	1	0	0	0	0	0	0	0	0	0	18.3	80.00	24.2	-
1100	8	0	2	0	0	3	3	0	0	0	0	0	0	0	0	0	0	18.3	75.00	21.4	-
1200	12	0	0	0	2	3	3	3	1	0	0	0	0	0	0	0	0	24.6	58.33	26.9	34.7
1300	19	0	0	0	1	8	7	3	0	0	0	0	0	0	0	0	0	19.2	78.95	26.3	32.8
1400	11	0	0	0	2	5	3	1	0	0	0	0	0	0	0	0	0	17.4	81.82	23.8	28.4
1500	14	0	0	1	0	5	6	1	1	0	0	0	0	0	0	0	0	19.7	78.57	25.4	30.3
1600	17	0	0	2	2	3	5	5	0	0	0	0	0	0	0	0	0	23.8	70.59	25.3	32.6
1700	17	0	0	2	0	3	6	5	1	0	0	0	0	0	0	0	0	21.9	70.59	26.6	32.3
1800	5	0	0	1	0	1	3	0	0	0	0	0	0	0	0	0	0	18.0	80.00	23.0	-
1900	9	0	0	0	3	1	3	1	1	0	0	0	0	0	0	0	0	16.0	55.56	25.3	-
2000	3	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	24.5	100.0	30.6	-
2100	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	18.1	100.0	28.0	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	4	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	23.2	100.0	28.1	-
07-19	153	0	2	9	11	46	55	27	3	0	0	0	0	0	0	0	0	19.8	66.01	25.3	31.0
06-22	168	0	2	9	14	49	60	30	4	0	0	0	0	0	0	0	0	19.8	64.88	25.4	31.2
06-00	172	0	2	9	14	51	60	32	4	0	0	0	0	0	0	0	0	19.8	64.53	25.5	31.3
00-00	173	0	2	9	15	51	60	32	4	0	0	0	0	0	0	0	0	19.8	64.16	25.5	31.3

Peak step 8:00 (21) AM Peak step 8:00 (21) PM Peak step 13:00 (19)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	173	0	2	9	15	51	60	32	4	0	0	0	0	0	0	0	0	19.8	64.16	25.5	31.3

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6864 -- English (ENU)

Datasets:

Site: [6] PACO DR BT SPRINGER RD AND S CLARKE AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	11.7	100.0	21.5	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	2	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	2.5	50.00	18.6	-
0700	12	0	1	0	1	4	3	3	0	0	0	0	0	0	0	0	0	21.1	66.67	24.1	31.0
0800	13	0	0	1	2	6	4	0	0	0	0	0	0	0	0	0	0	16.1	76.92	22.6	27.2
0900	7	0	0	1	2	1	3	0	0	0	0	0	0	0	0	0	0	18.2	71.43	22.8	-
1000	16	0	0	1	0	8	5	1	1	0	0	0	0	0	0	0	0	16.7	81.25	24.7	28.8
1100	8	0	0	0	1	2	4	0	1	0	0	0	0	0	0	0	0	19.0	75.00	26.5	-
1200	16	0	2	1	3	5	5	0	0	0	0	0	0	0	0	0	0	19.6	68.75	21.1	28.7
1300	11	0	0	0	0	5	5	1	0	0	0	0	0	0	0	0	0	18.9	90.91	25.2	29.5
1400	11	0	0	0	0	5	3	2	1	0	0	0	0	0	0	0	0	20.8	81.82	26.5	32.2
1500	12	0	1	2	1	4	3	1	0	0	0	0	0	0	0	0	0	16.3	58.33	21.8	30.1
1600	7	0	0	0	1	5	1	0	0	0	0	0	0	0	0	0	0	14.2	85.71	22.6	-
1700	14	0	0	0	2	6	5	0	1	0	0	0	0	0	0	0	0	18.5	78.57	24.9	29.1
1800	8	0	1	1	1	3	2	0	0	0	0	0	0	0	0	0	0	17.6	75.00	20.0	-
1900	5	0	0	1	2	1	1	0	0	0	0	0	0	0	0	0	0	11.1	80.00	19.2	-
2000	7	0	0	0	0	2	1	3	1	0	0	0	0	0	0	0	0	22.6	71.43	28.5	-
2100	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	21.8	100.0	31.6	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	16.8	100.0	24.0	-
07-19	135	0	5	7	14	54	43	8	4	0	0	0	0	0	0	0	0	20.0	72.59	23.6	28.7
06-22	150	0	5	9	16	58	45	12	5	0	0	0	0	0	0	0	0	20.0	69.33	23.7	29.0
06-00	152	0	5	9	16	59	46	12	5	0	0	0	0	0	0	0	0	20.0	69.74	23.7	28.9
00-00	153	0	5	9	16	60	46	12	5	0	0	0	0	0	0	0	0	20.0	69.93	23.7	28.9

Peak step 10:00 (16) AM Peak step 10:00 (16) PM Peak step 12:00 (16)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	153	0	5	9	16	60	46	12	5	0	0	0	0	0	0	0	0	20.0	69.93	23.7	28.9

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6861 -- English (ENU)

Datasets:

Site: [4] PACO DR W OF SILVA DR
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0500	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2.3	100.0	12.2	--
0600	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0700	6	0	2	1	3	0	0	0	0	0	0	0	0	0	0	0	0	5.7	66.67	13.4	--
0800	2	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.0	50.00	9.8	--
0900	6	1	0	2	3	0	0	0	0	0	0	0	0	0	0	0	0	7.4	83.33	12.6	--
1000	4	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0	11.9	100.0	17.0	--
1100	6	0	0	1	3	2	0	0	0	0	0	0	0	0	0	0	0	14.0	100.0	18.3	--
1200	3	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	12.5	100.0	18.7	--
1300	6	0	1	2	1	2	0	0	0	0	0	0	0	0	0	0	0	7.7	66.67	16.3	--
1400	8	0	0	0	2	5	1	0	0	0	0	0	0	0	0	0	0	16.0	100.0	22.2	--
1500	11	0	0	1	4	6	0	0	0	0	0	0	0	0	0	0	0	12.1	100.0	19.4	21.9
1600	7	0	0	1	2	3	1	0	0	0	0	0	0	0	0	0	0	12.6	85.71	19.7	--
1700	8	0	0	0	2	5	1	0	0	0	0	0	0	0	0	0	0	17.4	100.0	22.0	--
1800	5	0	0	0	4	1	0	0	0	0	0	0	0	0	0	0	0	14.2	100.0	19.4	--
1900	5	0	0	2	2	1	0	0	0	0	0	0	0	0	0	0	0	13.6	100.0	17.0	--
2000	3	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	11.9	100.0	17.6	--
2100	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	14.7	100.0	21.5	--
2200	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	8.8	100.0	15.5	--
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
07-19	72	2	3	9	29	26	3	0	0	0	0	0	0	0	0	0	0	13.2	76.39	18.2	22.6
06-22	82	2	3	12	33	29	3	0	0	0	0	0	0	0	0	0	0	14.2	78.05	18.2	22.8
06-00	84	2	3	13	34	29	3	0	0	0	0	0	0	0	0	0	0	14.2	77.38	18.1	22.7
00-00	85	2	3	14	34	29	3	0	0	0	0	0	0	0	0	0	0	14.2	76.47	18.1	22.6

Peak step 15:00 (11) AM Peak step 7:00 (6) PM Peak step 15:00 (11)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	85	2	3	14	34	29	3	0	0	0	0	0	0	0	0	0	0	14.2	76.47	18.1	22.6

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6860 -- English (ENU)

Datasets:

Site: [4] PACO DR W OF SILVA DR
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0700	6	0	0	1	2	3	0	0	0	0	0	0	0	0	0	0	0	15.1	83.33	20.4	-
0800	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	8.4	100.0	18.3	-
0900	10	1	0	0	4	5	0	0	0	0	0	0	0	0	0	0	0	11.7	90.00	17.7	-
1000	7	0	0	2	4	1	0	0	0	0	0	0	0	0	0	0	0	10.7	100.0	17.4	-
1100	10	0	1	2	4	2	1	0	0	0	0	0	0	0	0	0	0	11.6	80.00	16.9	-
1200	5	0	0	0	1	3	0	1	0	0	0	0	0	0	0	0	0	12.5	80.00	22.5	-
1300	6	0	1	2	1	1	1	0	0	0	0	0	0	0	0	0	0	8.8	66.67	18.3	-
1400	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	14.2	100.0	21.3	-
1500	5	0	1	0	2	1	1	0	0	0	0	0	0	0	0	0	0	7.8	60.00	18.6	-
1600	8	0	1	0	2	4	1	0	0	0	0	0	0	0	0	0	0	13.3	75.00	19.1	-
1700	8	0	0	0	2	5	1	0	0	0	0	0	0	0	0	0	0	15.0	87.50	21.6	-
1800	6	0	0	1	4	1	0	0	0	0	0	0	0	0	0	0	0	10.7	100.0	18.0	-
1900	6	0	0	2	2	1	1	0	0	0	0	0	0	0	0	0	0	9.5	66.67	18.5	-
2000	3	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	16.0	100.0	22.7	-
2100	3	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	15.4	100.0	22.5	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	74	1	4	8	28	27	5	1	0	0	0	0	0	0	0	0	0	13.3	77.03	18.9	23.2
06-22	86	1	4	10	31	31	8	1	0	0	0	0	0	0	0	0	0	13.3	74.42	19.1	24.4
06-00	86	1	4	10	31	31	8	1	0	0	0	0	0	0	0	0	0	13.3	74.42	19.1	24.4
00-00	86	1	4	10	31	31	8	1	0	0	0	0	0	0	0	0	0	13.3	74.42	19.1	24.4

Peak step 9:00 (10) AM Peak step 9:00 (10) PM Peak step 16:00 (8)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	86	1	4	10	31	31	8	1	0	0	0	0	0	0	0	0	0	13.3	74.42	19.1	24.4

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6895 -- English (ENU)

Datasets:

Site: [21] ROSITA AVE BT ANDERSON DR AND CASA BONITA CT
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85	
0000	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	28.3	100.0	38.1	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	21.0	100.0	30.8	-
0600	7	0	0	0	2	2	2	1	0	0	0	0	0	0	0	0	0	0	17.2	71.43	23.8	-
0700	11	0	1	0	2	3	2	3	0	0	0	0	0	0	0	0	0	0	22.1	72.73	24.3	30.7
0800	18	0	0	0	2	4	8	2	2	0	0	0	0	0	0	0	0	0	19.2	72.22	27.6	33.6
0900	20	0	0	1	1	5	8	4	1	0	0	0	0	0	0	0	0	0	22.3	85.00	26.5	31.9
1000	15	0	2	1	4	6	2	0	0	0	0	0	0	0	0	0	0	0	16.3	73.33	19.6	25.6
1100	16	0	0	2	2	5	7	0	0	0	0	0	0	0	0	0	0	0	17.4	81.25	22.2	27.2
1200	17	0	2	0	2	4	6	3	0	0	0	0	0	0	0	0	0	0	22.6	70.59	23.3	30.7
1300	10	0	0	0	0	0	7	3	0	0	0	0	0	0	0	0	0	0	22.4	100.0	28.9	-
1400	24	0	1	0	4	9	7	3	0	0	0	0	0	0	0	0	0	0	20.8	70.83	24.0	29.8
1500	21	0	1	1	0	12	5	2	0	0	0	0	0	0	0	0	0	0	20.2	85.71	23.5	28.9
1600	34	0	0	0	1	13	12	6	2	0	0	0	0	0	0	0	0	0	21.3	82.35	27.0	31.1
1700	27	0	0	2	2	2	19	2	0	0	0	0	0	0	0	0	0	0	21.4	85.19	25.9	29.5
1800	20	0	0	1	1	1	11	6	0	0	0	0	0	0	0	0	0	0	22.7	90.00	27.2	30.6
1900	10	0	0	1	2	3	4	0	0	0	0	0	0	0	0	0	0	0	17.7	70.00	22.6	-
2000	7	0	0	0	3	4	0	0	0	0	0	0	0	0	0	0	0	0	14.4	100.0	20.5	-
2100	3	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	17.8	100.0	25.6	-
2200	3	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	13.5	100.0	21.4	-
2300	4	0	0	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0	19.6	100.0	26.8	-
07-19	233	0	7	8	21	64	94	34	5	0	0	0	0	0	0	0	0	22.4	72.10	25.1	30.4	
06-22	260	0	7	9	28	74	102	35	5	0	0	0	0	0	0	0	0	21.4	70.77	24.9	30.1	
06-00	267	0	7	9	29	77	105	35	5	0	0	0	0	0	0	0	0	21.4	71.16	24.9	30.0	
00-00	269	0	7	9	29	77	105	36	6	0	0	0	0	0	0	0	0	21.4	71.00	24.9	30.1	

Peak step 16:00 (34) AM Peak step 9:00 (20) PM Peak step 16:00 (34)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85	
--	269	0	7	9	29	77	105	36	6	0	0	0	0	0	0	0	0	0	21.4	71.00	24.9	30.1

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6894 -- English (ENU)

Datasets:

Site: [21] ROSITA AVE BT ANDERSON DR AND CASA BONITA CT
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	18.7	100.0	28.5	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	20.9	100.0	30.8	-
0600	8	0	0	1	2	2	2	1	0	0	0	0	0	0	0	0	0	18.8	62.50	22.2	-
0700	8	0	0	0	2	5	1	0	0	0	0	0	0	0	0	0	0	14.9	87.50	21.1	-
0800	18	0	0	0	1	9	6	2	0	0	0	0	0	0	0	0	0	18.6	88.89	24.8	28.7
0900	17	0	0	2	0	4	5	5	1	0	0	0	0	0	0	0	0	21.3	64.71	26.7	33.2
1000	21	0	0	1	3	5	10	1	1	0	0	0	0	0	0	0	0	18.8	76.19	25.2	29.3
1100	13	0	0	1	1	5	3	3	0	0	0	0	0	0	0	0	0	19.3	69.23	24.9	33.5
1200	8	0	0	0	0	2	5	1	0	0	0	0	0	0	0	0	0	20.6	100.0	26.6	-
1300	9	0	0	1	1	3	3	1	0	0	0	0	0	0	0	0	0	18.3	66.67	23.3	-
1400	16	0	0	0	3	7	3	3	0	0	0	0	0	0	0	0	0	15.8	68.75	24.8	32.8
1500	20	0	0	1	4	5	7	3	0	0	0	0	0	0	0	0	0	19.2	75.00	24.6	31.2
1600	29	0	0	2	1	12	7	6	1	0	0	0	0	0	0	0	0	21.4	72.41	25.2	31.4
1700	26	0	0	4	1	5	12	4	0	0	0	0	0	0	0	0	0	21.7	76.92	25.1	30.8
1800	17	0	0	1	3	7	4	1	1	0	0	0	0	0	0	0	0	15.2	64.71	23.8	30.7
1900	17	0	0	2	1	8	5	1	0	0	0	0	0	0	0	0	0	19.0	76.47	23.2	28.5
2000	11	0	0	0	2	4	3	2	0	0	0	0	0	0	0	0	0	17.0	81.82	25.3	30.2
2100	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	18.3	100.0	28.2	-
2200	2	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1.1	50.00	19.8	-
2300	7	0	0	0	1	1	5	0	0	0	0	0	0	0	0	0	0	17.2	85.71	24.8	-
07-19	202	0	0	13	20	69	66	30	4	0	0	0	0	0	0	0	0	20.0	67.33	24.9	30.9
06-22	239	0	0	16	25	83	77	34	4	0	0	0	0	0	0	0	0	19.2	67.36	24.7	30.3
06-00	248	0	0	17	26	84	83	34	4	0	0	0	0	0	0	0	0	19.2	67.74	24.6	30.0
00-00	250	0	0	17	26	84	84	35	4	0	0	0	0	0	0	0	0	19.2	67.60	24.7	30.2

Peak step 16:00 (29) AM Peak step 10:00 (21) PM Peak step 16:00 (29)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	250	0	0	17	26	84	84	35	4	0	0	0	0	0	0	0	0	19.2	67.60	24.7	30.2

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6897 -- English (ENU)

Datasets:

Site: [22] ROSITA AVE E OF ROSE LN
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Thursday, April 15, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	18.8	100.0	28.6	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	19.6	100.0	27.3	-
0600	2	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.0	50.00	19.8	-
0700	14	0	3	0	2	6	2	1	0	0	0	0	0	0	0	0	0	18.1	64.29	20.9	28.8
0800	26	0	1	2	3	7	6	5	2	0	0	0	0	0	0	0	0	17.2	57.69	24.5	32.2
0900	29	0	0	2	3	12	9	3	0	0	0	0	0	0	0	0	0	17.3	75.86	24.0	29.2
1000	24	0	2	1	5	10	4	2	0	0	0	0	0	0	0	0	0	17.0	70.83	21.4	27.5
1100	25	0	0	2	2	8	10	3	0	0	0	0	0	0	0	0	0	19.1	76.00	24.5	29.2
1200	33	0	0	4	4	13	9	3	0	0	0	0	0	0	0	0	0	17.3	72.73	22.9	27.2
1300	35	0	0	4	5	12	9	5	0	0	0	0	0	0	0	0	0	20.4	62.86	23.6	29.8
1400	34	0	0	4	2	12	13	3	0	0	0	0	0	0	0	0	0	19.3	73.53	23.6	28.5
1500	35	0	0	3	4	15	10	3	0	0	0	0	0	0	0	0	0	18.7	74.29	23.3	28.4
1600	33	0	2	1	5	15	6	4	0	0	0	0	0	0	0	0	0	17.7	72.73	22.8	27.5
1700	35	0	4	1	2	16	9	3	0	0	0	0	0	0	0	0	0	20.6	74.29	22.6	28.8
1800	20	0	1	1	4	8	5	1	0	0	0	0	0	0	0	0	0	15.5	75.00	21.8	26.4
1900	36	0	2	0	3	17	13	1	0	0	0	0	0	0	0	0	0	19.9	83.33	23.5	28.0
2000	17	0	0	1	2	9	3	1	1	0	0	0	0	0	0	0	0	20.2	76.47	23.9	29.6
2100	6	0	0	0	0	3	2	1	0	0	0	0	0	0	0	0	0	19.8	83.33	25.2	-
2200	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	15.4	100.0	24.6	-
2300	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	19.6	100.0	28.2	-
07-19	343	0	13	25	41	134	92	36	2	0	0	0	0	0	0	0	0	19.3	67.06	23.1	28.7
06-22	404	0	16	26	46	163	111	39	3	0	0	0	0	0	0	0	0	19.5	67.82	23.2	28.7
06-00	408	0	16	26	46	164	114	39	3	0	0	0	0	0	0	0	0	19.9	68.14	23.2	28.7
00-00	411	0	16	26	46	164	117	39	3	0	0	0	0	0	0	0	0	19.9	68.37	23.3	28.8

Peak step 19:00 (36) AM Peak step 9:00 (29) PM Peak step 19:00 (36)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	411	0	16	26	46	164	117	39	3	0	0	0	0	0	0	0	0	19.9	68.37	23.3	28.8

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6896 -- English (ENU)

Datasets:

Site: [22] ROSITA AVE E OF ROSE LN
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Thursday, April 15, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	15.3	100.0	25.1	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1.6	100.0	11.4	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	9.1	100.0	18.9	-
0600	6	0	0	0	2	4	0	0	0	0	0	0	0	0	0	0	0	14.0	100.0	20.0	-
0700	21	0	0	4	4	5	6	2	0	0	0	0	0	0	0	0	0	15.9	57.14	21.9	28.5
0800	32	0	0	2	5	8	15	2	0	0	0	0	0	0	0	0	0	18.9	78.13	23.7	28.6
0900	19	0	1	1	6	5	6	0	0	0	0	0	0	0	0	0	0	16.2	73.68	21.6	27.0
1000	29	0	2	4	1	12	10	0	0	0	0	0	0	0	0	0	0	19.0	75.86	21.6	27.5
1100	31	0	0	4	3	10	11	3	0	0	0	0	0	0	0	0	0	19.2	74.19	23.5	28.8
1200	28	0	0	1	8	9	7	3	0	0	0	0	0	0	0	0	0	15.7	64.29	23.1	29.0
1300	35	0	0	3	7	16	8	1	0	0	0	0	0	0	0	0	0	17.0	82.86	21.6	26.8
1400	30	0	0	0	6	12	11	1	0	0	0	0	0	0	0	0	0	18.7	83.33	23.5	27.9
1500	32	0	1	1	4	15	11	0	0	0	0	0	0	0	0	0	0	18.1	84.38	23.0	27.6
1600	42	0	1	3	6	15	15	2	0	0	0	0	0	0	0	0	0	20.6	73.81	23.2	28.4
1700	56	0	0	8	9	25	12	2	0	0	0	0	0	0	0	0	0	17.4	71.43	21.5	27.0
1800	37	0	0	3	5	13	12	4	0	0	0	0	0	0	0	0	0	18.2	70.27	23.7	28.4
1900	21	0	0	0	5	9	7	0	0	0	0	0	0	0	0	0	0	17.7	90.48	22.8	26.9
2000	13	0	1	1	3	3	2	3	0	0	0	0	0	0	0	0	0	21.9	53.85	22.7	31.7
2100	11	0	0	1	0	7	3	0	0	0	0	0	0	0	0	0	0	17.2	90.91	22.0	26.6
2200	3	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	16.7	100.0	23.6	-
2300	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	19.9	100.0	29.8	-
07-19	392	0	5	34	64	145	124	20	0	0	0	0	0	0	0	0	0	18.9	71.43	22.7	27.7
06-22	443	0	6	36	74	168	136	23	0	0	0	0	0	0	0	0	0	18.9	71.56	22.6	27.6
06-00	447	0	6	36	74	170	138	23	0	0	0	0	0	0	0	0	0	18.9	71.59	22.6	27.6
00-00	450	0	6	37	75	170	139	23	0	0	0	0	0	0	0	0	0	18.9	71.56	22.6	27.6

Peak step 17:00 (56) AM Peak step 8:00 (32) PM Peak step 17:00 (56)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	450	0	6	37	75	170	139	23	0	0	0	0	0	0	0	0	0	18.9	71.56	22.6	27.6

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6870 -- English (ENU)

Datasets:

Site: [9] S CLARK AVE BT SAN LUIS AVE AND BENVENUE AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: North (bound), P = North, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
0000	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	18.3	100.0	28.2	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	19.7	100.0	29.5	-
0500	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	14.1	100.0	21.6	-
0600	7	0	0	0	0	1	5	1	0	0	0	0	0	0	0	0	0	22.5	100.0	27.4	-
0700	12	0	0	0	2	6	3	1	0	0	0	0	0	0	0	0	0	18.1	83.33	23.9	28.2
0800	18	0	0	0	2	8	6	2	0	0	0	0	0	0	0	0	0	17.9	77.78	24.2	29.7
0900	28	0	1	0	1	17	8	1	0	0	0	0	0	0	0	0	0	19.5	89.29	23.6	27.4
1000	25	0	0	0	5	12	6	2	0	0	0	0	0	0	0	0	0	19.0	84.00	23.7	27.7
1100	26	0	0	0	2	14	7	2	1	0	0	0	0	0	0	0	0	19.3	80.77	24.3	29.2
1200	39	0	0	4	2	15	16	2	0	0	0	0	0	0	0	0	0	20.8	82.05	23.7	28.5
1300	28	0	0	1	5	12	9	1	0	0	0	0	0	0	0	0	0	18.6	78.57	23.2	28.3
1400	33	0	0	0	6	15	8	4	0	0	0	0	0	0	0	0	0	18.0	87.88	23.9	27.8
1500	37	0	0	3	3	21	8	2	0	0	0	0	0	0	0	0	0	19.1	81.08	22.8	27.1
1600	29	0	0	1	6	13	7	1	1	0	0	0	0	0	0	0	0	17.0	79.31	23.4	28.1
1700	34	0	0	1	4	15	10	4	0	0	0	0	0	0	0	0	0	18.6	79.41	24.1	28.8
1800	25	0	0	0	5	13	6	1	0	0	0	0	0	0	0	0	0	16.3	88.00	22.6	26.4
1900	23	0	0	1	6	9	7	0	0	0	0	0	0	0	0	0	0	18.8	73.91	22.1	27.4
2000	14	0	0	0	2	6	6	0	0	0	0	0	0	0	0	0	0	19.6	92.86	24.1	28.2
2100	7	0	0	0	1	3	1	2	0	0	0	0	0	0	0	0	0	17.9	71.43	25.8	-
2200	4	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	0	16.0	75.00	24.1	-
2300	3	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	20.4	66.67	29.0	-
07-19	334	0	1	10	43	161	94	23	2	0	0	0	0	0	0	0	0	19.5	78.44	23.6	28.0
06-22	385	0	1	11	52	180	113	26	2	0	0	0	0	0	0	0	0	19.6	78.18	23.6	28.0
06-00	392	0	1	11	53	182	115	27	3	0	0	0	0	0	0	0	0	19.6	77.81	23.7	28.1
00-00	396	0	1	11	54	183	117	27	3	0	0	0	0	0	0	0	0	19.6	77.53	23.7	28.2

Peak step 12:00 (39) AM Peak step 9:00 (28) PM Peak step 12:00 (39)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--	396	0	1	11	54	183	117	27	3	0	0	0	0	0	0	0	0	19.6	77.53	23.7	28.2

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6871 -- English (ENU)

Datasets:

Site: [9] S CLARK AVE BT SAN LUIS AVE AND BENVENUE AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: South (bound), P = North, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	18.1	100.0	24.8	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	13.6	100.0	23.5	-
0500	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	17.3	100.0	27.2	-
0600	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	18.0	100.0	26.0	-
0700	17	0	0	0	2	5	7	2	1	0	0	0	0	0	0	0	0	19.8	76.47	26.3	31.2
0800	31	0	0	0	2	7	13	9	0	0	0	0	0	0	0	0	0	21.7	87.10	26.8	31.0
0900	40	0	0	0	6	23	9	1	1	0	0	0	0	0	0	0	0	16.0	85.00	23.4	26.2
1000	25	0	0	1	6	11	5	2	0	0	0	0	0	0	0	0	0	17.0	80.00	22.9	27.7
1100	27	0	0	2	1	7	13	2	2	0	0	0	0	0	0	0	0	21.0	81.48	25.6	30.2
1200	43	0	0	2	7	11	19	4	0	0	0	0	0	0	0	0	0	17.9	72.09	23.6	27.8
1300	29	0	0	1	3	13	10	2	0	0	0	0	0	0	0	0	0	19.6	79.31	24.6	29.2
1400	36	0	0	1	5	10	17	3	0	0	0	0	0	0	0	0	0	19.1	83.33	24.6	28.8
1500	41	0	0	4	5	14	11	7	0	0	0	0	0	0	0	0	0	18.7	60.98	24.1	30.8
1600	32	0	0	0	7	12	12	1	0	0	0	0	0	0	0	0	0	19.7	81.25	23.6	28.6
1700	28	0	0	2	3	15	6	2	0	0	0	0	0	0	0	0	0	16.7	78.57	22.8	27.9
1800	26	0	0	2	8	8	6	2	0	0	0	0	0	0	0	0	0	16.9	76.92	22.0	26.7
1900	19	0	0	1	4	6	7	1	0	0	0	0	0	0	0	0	0	20.6	73.68	23.2	29.4
2000	13	0	0	0	0	9	4	0	0	0	0	0	0	0	0	0	0	18.5	100.0	23.9	27.6
2100	5	0	0	0	1	0	4	0	0	0	0	0	0	0	0	0	0	18.3	100.0	25.4	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	18.7	100.0	28.1	-
07-19	375	0	0	15	55	136	128	37	4	0	0	0	0	0	0	0	0	19.1	70.93	24.1	29.3
06-22	414	0	0	16	60	152	144	38	4	0	0	0	0	0	0	0	0	19.1	71.98	24.1	29.1
06-00	416	0	0	16	60	152	146	38	4	0	0	0	0	0	0	0	0	19.1	72.12	24.1	29.0
00-00	420	0	0	16	60	154	148	38	4	0	0	0	0	0	0	0	0	19.1	72.38	24.1	29.0

Peak step 12:00 (43) AM Peak step 9:00 (40) PM Peak step 12:00 (43)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	420	0	0	16	60	154	148	38	4	0	0	0	0	0	0	0	0	19.1	72.38	24.1	29.0

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6856 -- English (ENU)

Datasets:

Site: [2] S CLARKE AVE N OF HAWTHORNE CT
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: North (bound), P = North, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85	
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100					
0000	2	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	3.5	50.00	23.7	-	
0100	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	12.5	100.0	22.3	-	
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	
0500	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	11.3	100.0	18.7	-	
0600	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	19.0	100.0	26.2	-	
0700	7	0	0	0	0	5	2	0	0	0	0	0	0	0	0	0	0	23.4	100.0	28.8	-	
0800	22	0	0	0	2	7	8	4	1	0	0	0	0	0	0	0	0	19.1	68.18	26.1	33.4	
0900	22	0	0	0	0	5	11	6	0	0	0	0	0	0	0	0	0	22.0	86.36	27.6	31.7	
1000	23	0	0	0	3	7	6	6	1	0	0	0	0	0	0	0	0	23.0	73.91	26.3	32.2	
1100	23	0	0	0	2	6	7	8	0	0	0	0	0	0	0	0	0	22.6	73.91	26.8	32.2	
1200	28	0	0	0	3	7	13	5	0	0	0	0	0	0	0	0	0	20.2	75.00	26.1	30.7	
1300	26	0	0	2	3	11	6	2	2	0	0	0	0	0	0	0	0	18.8	65.38	24.1	30.9	
1400	25	0	0	0	3	8	11	3	0	0	0	0	0	0	0	0	0	22.3	88.00	25.7	29.6	
1500	39	0	1	3	3	10	14	8	0	0	0	0	0	0	0	0	0	20.5	66.67	24.6	31.1	
1600	30	0	0	0	4	5	14	7	0	0	0	0	0	0	0	0	0	23.4	80.00	26.5	30.4	
1700	27	0	0	0	2	11	10	4	0	0	0	0	0	0	0	0	0	22.3	81.48	26.3	31.2	
1800	17	0	0	1	2	5	7	1	1	0	0	0	0	0	0	0	0	18.3	70.59	24.8	30.8	
1900	20	0	0	1	2	5	10	2	0	0	0	0	0	0	0	0	0	20.8	80.00	25.0	29.8	
2000	8	0	0	1	1	1	4	1	0	0	0	0	0	0	0	0	0	18.1	62.50	24.2	-	
2100	6	0	0	0	1	2	3	0	0	0	0	0	0	0	0	0	0	18.3	100.0	24.7	-	
2200	2	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	26.7	100.0	32.7	-	
2300	3	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	20.8	100.0	28.5	-	
07-19	289	0	1	6	27	82	112	56	5	0	0	0	0	0	0	0	0	21.7	69.55	25.9	31.3	
06-22	325	0	1	8	31	91	130	59	5	0	0	0	0	0	0	0	0	21.5	70.15	25.8	31.1	
06-00	330	0	1	8	31	91	133	60	6	0	0	0	0	0	0	0	0	21.5	70.30	25.9	31.1	
00-00	335	0	1	9	32	93	133	61	6	0	0	0	0	0	0	0	0	21.5	69.55	25.8	31.1	

Peak step 15:00 (39) AM Peak step 10:00 (23) PM Peak step 15:00 (39)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	335	0	1	9	32	93	133	61	6	0	0	0	0	0	0	0	0	21.5	69.55	25.8	31.1

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6857 -- English (ENU)

Datasets:

Site: [2] S CLARKE AVE N OF HAWTHORNE CT
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: South (bound), P = North, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
0000	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	19.2	100.0	29.1	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	11.6	100.0	21.5	-
0500	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	3.8	100.0	11.1	-
0600	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	13.2	100.0	21.1	-
0700	8	0	0	0	1	5	1	1	0	0	0	0	0	0	0	0	0	20.4	87.50	24.4	-
0800	32	0	0	0	3	7	13	7	2	0	0	0	0	0	0	0	0	21.1	71.88	27.3	34.6
0900	20	0	0	0	1	7	6	5	1	0	0	0	0	0	0	0	0	21.9	80.00	27.3	32.4
1000	27	0	2	0	2	7	11	4	1	0	0	0	0	0	0	0	0	20.0	74.07	25.5	31.4
1100	34	0	0	0	3	10	12	8	1	0	0	0	0	0	0	0	0	22.7	73.53	27.0	32.4
1200	38	0	1	2	2	6	21	5	1	0	0	0	0	0	0	0	0	23.2	78.95	25.4	30.4
1300	26	0	0	1	2	5	10	7	1	0	0	0	0	0	0	0	0	23.9	69.23	27.1	33.4
1400	30	0	1	0	1	10	14	4	0	0	0	0	0	0	0	0	0	19.9	80.00	25.4	30.0
1500	27	0	2	1	1	9	6	6	1	1	0	0	0	0	0	0	0	22.3	74.07	25.4	31.9
1600	37	0	0	2	6	10	14	4	1	0	0	0	0	0	0	0	0	19.1	67.57	24.5	29.9
1700	23	0	0	2	0	5	13	3	0	0	0	0	0	0	0	0	0	20.6	86.96	25.8	29.9
1800	20	0	0	1	2	9	6	2	0	0	0	0	0	0	0	0	0	19.7	75.00	24.5	29.5
1900	17	0	2	1	2	7	2	1	0	0	0	0	0	0	0	0	0	18.5	64.71	23.8	31.6
2000	13	0	0	1	1	5	4	1	1	0	0	0	0	0	0	0	0	19.9	76.92	25.5	32.7
2100	4	0	1	0	1	1	1	0	0	0	0	0	0	0	0	0	0	7.6	50.00	19.8	-
2200	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	21.0	100.0	29.6	-
2300	2	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	9.7	50.00	26.0	-
07-19	322	0	6	9	24	90	127	56	9	1	0	0	0	0	0	0	0	22.3	72.36	25.9	30.9
06-22	358	0	9	11	29	99	139	59	11	1	0	0	0	0	0	0	0	22.3	70.67	25.7	30.8
06-00	362	0	9	11	30	99	140	61	11	1	0	0	0	0	0	0	0	22.3	70.44	25.7	30.8
00-00	366	0	10	12	30	100	141	61	11	1	0	0	0	0	0	0	0	22.3	69.95	25.6	30.8

Peak step 12:00 (38) AM Peak step 11:00 (34) PM Peak step 12:00 (38)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--	366	0	10	12	30	100	141	61	11	1	0	0	0	0	0	0	0	22.3	69.95	25.6	30.8

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6875 -- English (ENU)

Datasets:

Site: [11] SAN LUIS AVE BT S CLARK AVE AND AMADOR AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	3.8	100.0	13.7	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	6.8	100.0	16.7	-
0600	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	9.6	100.0	19.5	-
0700	2	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	10.7	100.0	15.9	-
0800	7	0	0	1	3	2	1	0	0	0	0	0	0	0	0	0	0	12.5	85.71	19.8	-
0900	3	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	13.8	100.0	21.7	-
1000	4	0	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	15.4	100.0	22.2	-
1100	5	0	1	1	1	2	0	0	0	0	0	0	0	0	0	0	0	5.5	60.00	15.2	-
1200	7	0	2	0	4	1	0	0	0	0	0	0	0	0	0	0	0	13.9	71.43	15.6	-
1300	6	0	1	0	2	2	1	0	0	0	0	0	0	0	0	0	0	16.3	83.33	19.4	-
1400	9	1	0	1	2	3	2	0	0	0	0	0	0	0	0	0	0	17.0	77.78	19.4	-
1500	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	19.1	100.0	28.1	-
1600	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	11.9	100.0	19.7	-
1700	6	0	0	0	2	3	1	0	0	0	0	0	0	0	0	0	0	15.9	100.0	22.5	-
1800	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	8.7	100.0	18.5	-
1900	4	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	9.8	100.0	16.9	-
2000	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	5.7	100.0	15.5	-
2100	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	10.4	100.0	20.2	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	54	1	4	4	18	19	8	0	0	0	0	0	0	0	0	0	0	16.1	72.22	19.4	25.1
06-22	61	1	4	5	23	20	8	0	0	0	0	0	0	0	0	0	0	16.1	72.13	19.2	24.6
06-00	61	1	4	5	23	20	8	0	0	0	0	0	0	0	0	0	0	16.1	72.13	19.2	24.6
00-00	63	1	4	6	24	20	8	0	0	0	0	0	0	0	0	0	0	16.1	71.43	19.1	24.6

Peak step 14:00 (9) AM Peak step 8:00 (7) PM Peak step 14:00 (9)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	63	1	4	6	24	20	8	0	0	0	0	0	0	0	0	0	0	16.1	71.43	19.1	24.6

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6874 -- English (ENU)

Datasets:

Site: [11] SAN LUIS AVE BT S CLARK AVE AND AMADOR AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0600	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	5.0	100.0	14.9	-
0700	3	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	13.0	100.0	17.8	-
0800	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	5.9	100.0	12.9	-
0900	5	0	1	0	2	0	2	0	0	0	0	0	0	0	0	0	0	16.6	60.00	19.6	-
1000	4	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	0	8.6	100.0	14.6	-
1100	8	0	1	0	1	4	2	0	0	0	0	0	0	0	0	0	0	16.3	87.50	20.9	-
1200	4	0	1	0	1	2	0	0	0	0	0	0	0	0	0	0	0	14.5	75.00	18.3	-
1300	6	0	0	0	2	3	1	0	0	0	0	0	0	0	0	0	0	15.3	100.0	20.5	-
1400	8	0	2	1	1	4	0	0	0	0	0	0	0	0	0	0	0	14.7	62.50	16.9	-
1500	6	0	1	1	1	2	1	0	0	0	0	0	0	0	0	0	0	17.6	66.67	19.0	-
1600	4	0	1	0	3	0	0	0	0	0	0	0	0	0	0	0	0	8.4	100.0	15.3	-
1700	2	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	10.2	100.0	15.2	-
1800	4	0	1	0	3	0	0	0	0	0	0	0	0	0	0	0	0	9.6	75.00	15.5	-
1900	3	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	10.3	100.0	17.4	-
2000	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	12.1	100.0	20.9	-
2100	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	16.1	100.0	22.9	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	56	0	9	7	17	17	6	0	0	0	0	0	0	0	0	0	0	16.6	62.50	17.9	24.4
06-22	64	0	9	9	19	20	7	0	0	0	0	0	0	0	0	0	0	16.6	64.06	18.1	24.4
06-00	64	0	9	9	19	20	7	0	0	0	0	0	0	0	0	0	0	16.6	64.06	18.1	24.4
00-00	64	0	9	9	19	20	7	0	0	0	0	0	0	0	0	0	0	16.6	64.06	18.1	24.4

Peak step 11:00 (8) AM Peak step 11:00 (8) PM Peak step 14:00 (8)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	64	0	9	9	19	20	7	0	0	0	0	0	0	0	0	0	0	16.6	64.06	18.1	24.4

Traffic Data Service -- San Jose, CA Speed Report

CustomList-6873 -- English (ENU)

Datasets:

Site: [10] SAN LUIS AVE W OF LERIDA AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time]** 24-hour time (0000 - 2359)
- 1 [Total]** Number in time step
- 2 [Vbin]** Speed bin totals
- 3 [vPace]** Speed at start of pace
- 4 [Pace%]** Percent in pace
- 5 [Mean]** Average speed
- 6 [Vpp]** Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85	
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100					
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
0500	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	10.4	100.0	20.2		
0600	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
0700	3	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	14.4	100.0	19.8		
0800	7	0	0	1	2	3	1	0	0	0	0	0	0	0	0	0	0	15.4	85.71	20.3		
0900	5	0	0	0	1	3	1	0	0	0	0	0	0	0	0	0	0	15.7	100.0	21.2		
1000	3	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	8.9	100.0	17.9		
1100	8	0	0	1	1	6	0	0	0	0	0	0	0	0	0	0	0	15.1	87.50	20.6		
1200	4	0	0	1	1	2	0	0	0	0	0	0	0	0	0	0	0	12.3	100.0	18.9		
1300	5	0	1	1	0	2	1	0	0	0	0	0	0	0	0	0	0	17.9	60.00	18.9		
1400	7	0	0	0	4	3	0	0	0	0	0	0	0	0	0	0	0	13.4	100.0	20.0		
1500	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
1600	6	0	0	1	2	3	0	0	0	0	0	0	0	0	0	0	0	13.3	83.33	18.9		
1700	5	0	0	1	1	2	1	0	0	0	0	0	0	0	0	0	0	16.1	80.00	21.0		
1800	4	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0	14.7	100.0	19.0		
1900	4	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0	12.0	100.0	18.4		
2000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
2100	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	12.4	100.0	22.2		
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
2300	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	12.1	100.0	22.0		
07-19	57	0	1	7	19	26	4	0	0	0	0	0	0	0	0	0	0	15.7	82.46	19.8	24.3	
06-22	62	0	1	8	21	28	4	0	0	0	0	0	0	0	0	0	0	15.7	82.26	19.8	24.2	
06-00	63	0	1	8	21	29	4	0	0	0	0	0	0	0	0	0	0	15.7	82.54	19.8	24.2	
00-00	64	0	1	8	21	30	4	0	0	0	0	0	0	0	0	0	0	15.7	82.81	19.8	24.2	

Peak step 11:00 (8) AM Peak step 11:00 (8) PM Peak step 14:00 (7)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	64	0	1	8	21	30	4	0	0	0	0	0	0	0	0	0	0	15.7	82.81	19.8	24.2

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6872 -- English (ENU)

Datasets:

Site: [10] SAN LUIS AVE W OF LERIDA AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

- 0 [Time] 24-hour time (0000 - 2359)
- 1 [Total] Number in time step
- 2 [Vbin] Speed bin totals
- 3 [vPace] Speed at start of pace
- 4 [Pace%] Percent in pace
- 5 [Mean] Average speed
- 6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	9.2	100.0	19.1	-
0600	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	14.8	100.0	23.5	-
0700	2	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	10.7	100.0	17.4	-
0800	3	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	13.4	100.0	21.3	-
0900	5	0	0	0	1	2	2	0	0	0	0	0	0	0	0	0	0	16.7	100.0	22.6	-
1000	4	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	14.8	100.0	19.2	-
1100	6	0	0	1	3	2	0	0	0	0	0	0	0	0	0	0	0	11.7	100.0	17.6	-
1200	5	0	0	0	2	2	1	0	0	0	0	0	0	0	0	0	0	10.2	80.00	20.8	-
1300	7	0	0	2	2	1	2	0	0	0	0	0	0	0	0	0	0	11.0	71.43	19.6	-
1400	5	0	0	0	2	3	0	0	0	0	0	0	0	0	0	0	0	13.6	100.0	20.4	-
1500	3	0	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	15.1	66.67	19.3	-
1600	4	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	12.5	100.0	18.5	-
1700	6	0	1	1	3	1	0	0	0	0	0	0	0	0	0	0	0	7.6	83.33	15.2	-
1800	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	14.3	100.0	24.1	-
1900	4	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	8.2	100.0	14.9	-
2000	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	4.3	100.0	14.0	-
2100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	13.8	100.0	23.6	-
07-19	51	0	2	5	19	20	5	0	0	0	0	0	0	0	0	0	0	15.2	78.43	19.3	24.2
06-22	58	0	2	8	21	22	5	0	0	0	0	0	0	0	0	0	0	15.2	75.86	19.1	24.2
06-00	59	0	2	8	21	23	5	0	0	0	0	0	0	0	0	0	0	15.2	76.27	19.1	24.2
00-00	60	0	2	8	22	23	5	0	0	0	0	0	0	0	0	0	0	15.2	76.67	19.1	24.2

Peak step 13:00 (7) AM Peak step 11:00 (6) PM Peak step 13:00 (7)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	60	0	2	8	22	23	5	0	0	0	0	0	0	0	0	0	0	15.2	76.67	19.1	24.2

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6855 -- English (ENU)

Datasets:

Site: [1] SPRINGER TERRACE BT SPRINGER RD AND S CLARKE AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: East (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0500	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	6.5	100.0	16.3	-
0600	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
0700	5	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	8.8	100.0	17.4	-
0800	4	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	7.9	100.0	17.8	-
0900	4	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	8.8	100.0	18.3	-
1000	4	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0	10.4	100.0	16.0	-
1100	9	0	0	6	2	0	1	0	0	0	0	0	0	0	0	0	0	8.9	88.89	16.1	-
1200	4	1	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	13.1	75.00	17.5	-
1300	6	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	4.8	100.0	13.0	-
1400	10	0	0	3	7	0	0	0	0	0	0	0	0	0	0	0	0	6.6	100.0	15.0	-
1500	3	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	5.8	100.0	15.2	-
1600	4	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	5.4	100.0	15.2	-
1700	4	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	5.4	100.0	15.2	-
1800	3	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	7.6	100.0	16.3	-
1900	3	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	4.7	100.0	13.9	-
2000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
07-19	60	1	0	17	37	4	1	0	0	0	0	0	0	0	0	0	0	8.9	90.00	15.9	18.2
06-22	63	1	0	20	37	4	1	0	0	0	0	0	0	0	0	0	0	8.9	90.48	15.8	18.2
06-00	63	1	0	20	37	4	1	0	0	0	0	0	0	0	0	0	0	8.9	90.48	15.8	18.2
00-00	64	1	0	20	38	4	1	0	0	0	0	0	0	0	0	0	0	8.9	90.63	15.8	18.2

Peak step 14:00 (10) AM Peak step 11:00 (9) PM Peak step 14:00 (10)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	64	1	0	20	38	4	1	0	0	0	0	0	0	0	0	0	0	8.9	90.63	15.8	18.2

Traffic Data Service -- San Jose, CA

Speed Report

CustomList-6854 -- English (ENU)

Datasets:

Site: [1] SPRINGER TERRACE BT SPRINGER RD AND S CLARKE AVE
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 0 - 100 mph.
Direction: West (bound), P = East, Lane = 0-16
Name: Default Profile
Scheme: Vehicle classification (Scheme F)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)

Column Legend:

0 [Time] 24-hour time (0000 - 2359)
1 [Total] Number in time step
2 [Vbin] Speed bin totals
3 [vPace] Speed at start of pace
4 [Pace%] Percent in pace
5 [Mean] Average speed
6 [Vpp] Percentile speed

*** Tuesday, April 13, 2021**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
0000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0100	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0400	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0500	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	9.3	100.0	19.2	--
0600	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
0700	4	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	13.0	100.0	20.1	--
0800	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	13.2	100.0	22.5	--
0900	9	0	0	0	3	5	0	1	0	0	0	0	0	0	0	0	0	12.3	88.89	22.0	--
1000	8	0	1	2	2	3	0	0	0	0	0	0	0	0	0	0	0	11.0	75.00	16.5	--
1100	9	0	0	2	3	2	1	1	0	0	0	0	0	0	0	0	0	11.5	77.78	20.1	--
1200	12	0	2	2	6	1	1	0	0	0	0	0	0	0	0	0	0	11.4	75.00	16.6	21.5
1300	9	0	0	3	2	3	1	0	0	0	0	0	0	0	0	0	0	12.1	66.67	19.0	--
1400	11	0	0	0	7	3	1	0	0	0	0	0	0	0	0	0	0	15.0	90.91	20.0	25.2
1500	8	0	1	1	1	1	2	2	0	0	0	0	0	0	0	0	0	21.5	62.50	22.5	--
1600	9	0	0	0	0	6	3	0	0	0	0	0	0	0	0	0	0	17.4	100.0	24.5	--
1700	9	0	0	1	1	5	2	0	0	0	0	0	0	0	0	0	0	16.4	88.89	22.0	--
1800	5	0	0	1	2	2	0	0	0	0	0	0	0	0	0	0	0	12.0	100.0	18.6	--
1900	4	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	0	3.2	50.00	16.5	--
2000	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	16.3	100.0	23.2	--
2100	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	12.5	100.0	22.4	--
2200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
2300	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	--	--	--	--
07-19	95	0	4	12	30	34	11	4	0	0	0	0	0	0	0	0	0	17.4	72.63	20.2	25.5
06-22	102	0	5	13	31	36	13	4	0	0	0	0	0	0	0	0	0	17.4	72.55	20.1	25.5
06-00	102	0	5	13	31	36	13	4	0	0	0	0	0	0	0	0	0	17.4	72.55	20.1	25.5
00-00	103	0	5	13	32	36	13	4	0	0	0	0	0	0	0	0	0	17.4	72.82	20.1	25.5

Peak step 12:00 (12) AM Peak step 9:00 (9) PM Peak step 12:00 (12)

*** Grand Total**

Time	Total	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	Vbin	vPace	Pace%	Mean	Vpp
<--		0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	10	10		85
--		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	100				
--	103	0	5	13	32	36	13	4	0	0	0	0	0	0	0	0	0	17.4	72.82	20.1	25.5